

# What's Happening in Sample Community?

A Community Needs Assessment Data Book



Anywhere County

## Introduction - What's Happening in Sample Community?

**May 2022**

This report has been developed for the Community Prevention and Wellness Initiative (CPWI) to assist coalitions in their prevention strategic planning. We have included data from your community for the assessment of problems associated with substance use, and particularly with alcohol use and misuse. Additional data that can only be collected locally will help with the interpretation of the data and in other ways enhance this assessment process.

The Community Prevention and Wellness Initiative is a project of the Division of Behavioral Health and Recovery (DBHR) in collaboration with counties and communities across the state. This data report is a project of the State Epidemiological Outcomes Workgroup, and was produced with the assistance of the Department of Social and Health Services' Division of Research and Data Analysis.

### **PERMISSION FOR RELEASE**

*Please note that the Healthy Youth Survey data in this report are not to be used in public settings without the written permission of the school district superintendent.*

### **CONTRIBUTORS**

Irina Sharkova, PhD, DSHS Division of Research and Data Analysis  
Aaron Starks, MA, DSHS Division of Research and Data Analysis  
Grace Hong, PhD, DSHS Division of Research and Data Analysis  
Barbara Felver, MES, MPA, DSHS Division of Research and Data Analysis  
Barbara Lucenko, PhD, DSHS Division of Research and Data Analysis  
Sarah Mariani, CPP, HCA Division of Behavioral Health and Recovery  
Kasey Kates, MSW, HCA Division of Behavioral Health and Recovery  
Sandy Salivaras, MPH, HCA Division of Behavioral Health and Recovery

### **FOR MORE INFORMATION**

Questions about the Community Data Books may be directed to the DBHR Training team at [PxTraining@hca.wa.gov](mailto:PxTraining@hca.wa.gov)



## ABOUT THE DATA

### The Community Outcomes and Risk Evaluation Information System (CORE)

The CORE contains archival indicators (or social indicators) that are highly correlated with adolescent substance use, and the risk factors that predict substance use. There are currently 47 indicators, most of which originate from the Department of Health, Department of Social and Health Services, Uniform Crime Report, and the Office of the Superintendent of Public Instruction. The data are published twice a year on a public website, and reported at the lowest feasible geography level: state, county, school district/community, and locale (a geography that incorporates more than one school district when the base population of the school district is too low for reliable reporting). See <https://www.dshs.wa.gov/ffa/research-and-data-analysis/community-risk-profiles>.

### Washington State Healthy Youth Survey (HYS)

The Healthy Youth Survey is an adolescent health behavior survey that is administered students in 6<sup>th</sup>, 8<sup>th</sup>, 10<sup>th</sup> and 12<sup>th</sup> grade and, in 7<sup>th</sup>, 9<sup>th</sup>, and 11<sup>th</sup> grade in small school districts that elected to participate in the Small School Pilot. The questions cover a wide variety of health and school success behaviors, from diet and nutrition to binge drinking to skipping school. State and county reports are available to the public at AskHYS.net. School district reports are password protected. Data sharing agreements for analyses are available through the Department of Health.

In the Fall of 2021 approximately 207,000 students in grades 6-12 from 877 schools participated in HYS. The survey is typically administered to students every two years in participating public schools; student participation is voluntary and anonymous. The last HYS was administered in 2018, and the survey was postponed from 2020 to 2021 due to the pandemic.

**ATTENTION! HYS 2021 is different** from past surveys in several ways, so caution should be used when comparing HYS 2021 results to prior survey years/trends:

- The pandemic has likely influenced student behaviors and responses to the survey;
- There was a three-year gap (2018 to 2021) instead of the usual two-year gap - delaying the survey by a year changed the group/cohort of students being surveyed;
- This was the first time the survey was administered electronically; ~2% of students took a paper-and-pencil survey, and ~2% of students took the survey remotely (not on school property)
- Future HYS cycles will tell us more about which changes or trends will continue and which were unique to 2021.
- *To account for this uncertainty, no significance testing is conducted to compare the 2021 rates to the 2018 rates in the Data Book.*

	Grade 8	Grade 10
<b>Students Participating in the 2021 Survey</b>	265	284
<b>Survey Participation Rate</b>	78%	67%



# Sample Community

---

<b>CONTENTS</b>	<b>Introduction</b>	<b>2</b>
	<b>Overview: Needs Assessment</b>	<b>5</b>
	<b>Measures Available for the Community Needs Assessment</b>	<b>8</b>
	<b>How to Read the Charts and Tables</b>	<b>9</b>
	<b>Consequences</b>	<b>11</b>
	School Performance	11
	Youth Delinquency	13
	Mental Health Problems	16
	<b>Consumption</b>	<b>18</b>
	Youth Substance Use	18
	E-cigarette/Vape Pen Use	21
	<b>Intervening Variables</b>	<b>22</b>
	Community Connectedness	22
	Alcohol or Marijuana Availability	22
	Promotion of Alcohol	26
	Enforcement of Alcohol Laws	27
	Perception of Risk of Harm from Substance Use	28
	Community Norms	29
	Family Norms	31
	Peer Norms	32
	Risk and Protective Factors	33
	Extreme Economic Deprivation	35
	Age at First Use: Vaping	36
	<b>Additional HYS Data</b>	<b>37</b>
	Consequence Measures	38
	Consumption Measures	46
	Intervening Variables	52
	All Risk and Protective Factor Measures	64
	<b>Additional CORE Data</b>	<b>86</b>
	Consequence Measures	86
	Intervening Variable Measures	95
	<b>Opioids Data</b>	<b>98</b>
	<b>Demographic Profile</b>	<b>120</b>
	<b>Poverty map</b>	<b>121</b>
	<b>Definitions</b>	<b>122</b>
	<b>Coalition Logic Model</b>	<b>124</b>

## Overview: Needs Assessment

---

**WHAT?** This Data Book will be used in the assessment phase of the Strategic Prevention Framework, illustrated in this figure. This is the planning framework for the Community Prevention and Wellness Initiative (CPWI). The vision that drives this framework is data-based decision making. The needs assessment phase is the part of the assessment process that will help your community identify where it needs to focus its prevention efforts. The needs assessment is a process of gathering and interpreting data, identifying areas where additional data is needed, gathering that data, and then re-interpreting the results. In other words, a needs assessment is an iterative and on-going project. A needs assessment is often the first step in developing a prevention plan.



**WHO?** To complete a thorough needs assessment, you will need people with different kinds of expertise to interpret the data, and others to help the coalition understand the local context in which these conditions (as described by the data) exist. The better you understand the issues, the better able your coalition will be to develop a set of priorities, and goals associated with those priorities. This data book is a resource for your coalition in the needs assessment. This will be the starting point for your coalition to identify the problems related to youth alcohol use as precisely as possible.

**WHY?** When a group of citizens get together to find ways to reduce youth substance use, a collection of carefully chosen and reliable data can help to build bridges across different experiences and points of view. Further, if a community coalition uses data to identify problems and set goals, then the coalition can make a stronger case when it works to gain support from the community and from potential partners for its prevention efforts. The data will also provide a basis for measuring progress and successes.

---

## How to Use this Data Report

*NOTE: Underlined words are described in the “Definitions” section at the end of this report.*

The goal of the assessment phase of the CPWI planning process is to guide the coalition as you select priorities for prevention work. Those priorities will be based on the risk factors that are most closely linked to substance use in your community, and the resources you have for addressing those risk factors.

This report includes data for the needs assessment part of that phase of the process. The data come from the Healthy Youth Survey, and from the CORE Information System (CORE), which is a collection of archival data from many different sources.

---

## The data in this report is organized into four main sections.

1. The first section includes measures for the Consequences, Consumption, and Intervening Variables in the coalition logic model (see page 124); the measures appear in the same order as in the logic model.

The intervening variables in this section are those most strongly associated with alcohol use, such as availability of alcohol, enforcement of alcohol laws, community norms regarding alcohol use/misuse, and five Risk and Protective Factor Scale Scores. The information comes from student responses to HYS and from CORE; the measures were selected because they have the strongest predictive value for alcohol use/misuse.

2. The second section, starting on page 37, shows these and other data across several years to demonstrate long-term changes in your community. Here, the measures also appear in the same order as in the coalition logic model. Use the data in this section to look at:
  - a. Healthy Youth Survey trends over time (2010 to 2021) for the consequences, consumption, and intervening variables measures listed in the coalition logic model;
  - b. Additional Risk and Protective Factors.
3. The third section, starting on page 86, includes:
  - a. CORE indicator trends over time use data from the latest 12 years (most rates are 2009 to 2020) for consequences and intervening variables.
4. Starting on page 98, the fourth section includes opioid prescription data collected through the DOH Prescription Monitoring Plan (PMP). To assist coalitions in interpreting local data, community-specific information is presented in comparison to county and statewide values. Where possible, detail is provided by age and sex.

## What do we do with all of this data?

**STEP ONE:** First, make sure you understand the relationships between the data reported here and the coalition logic model. For your convenience, the data sections are color coded to match the colors of the logic model (see page 8). Flip back and forth between the data pages and the logic model to see how they fit together.

**STEP TWO:** Get to know the general pattern of youth substance use and its consequences in your community, as reported in the first sections of the report (red/Consequences and purple/Consumption). Note: For the HYS data, consider the participation rate, which is reported inside the front cover of this report.

NOTES about comparisons using HYS data:

- Read the “how-to” notes on page 9 that will help you to interpret the statistical significance of these comparisons. In general, the data in small communities are not as stable as in larger communities, but the new combined-grades scores will help to solve this problem.
- Comparisons between 8th and 10th graders: The level of problem behaviors related to substance use increases as youth get older. While alcohol related problem behaviors are more prevalent among 10th graders, some prevention efforts will have a bigger impact on 8th graders, and even younger youth.
- Remember, these survey data represent only those youth who are in public school.
- Comparisons between your community and “school districts like us”: it is sometimes helpful to make comparisons between communities that are similar in size, or in how rural or urban they are.
  - ▶ Comparisons between your community and the state: the state data are there simply to give you another perspective on each issue.
- Comparisons between 2018 and 2021: this comparison, and the longer term trend data that start on page 38, can give you an idea if the level of a problem is changing. Unlike prior years, no significance testing is conducted to compare the rates for 2018 and 2021 HYS (see p. 3).

**STEP THREE:** Read about intervening variables in the Definitions (page 122) and review the variables listed in the blue column on page 8. Just as getting no exercise is a risk factor for heart disease, these intervening variables represent risk factors for substance use and its related problems. Review and discuss the intervening variables data in the blue section starting on page 22, and the additional archival data from CORE-starting on page 86.

**TIP:** Use a worksheet to keep track of the discussion in your coalition or data workgroup about each of these variables. Have a column for variable name, one for initial interpretation, and one with questions for further consideration.

- ▶ Assess whether or not you have enough information to understand and/or prioritize a specific issue. For some issues you will need more information. An example: you may believe that the economic deprivation indicators on pages 96-97 underestimate poverty in your community. School officials may explain that some students and their families won't use lunch coupons or apply for social services.
- ▶ Another example: You will need to put some of these issues into a local context. For instance, what are the policies in the police or sheriff's department towards youth alcohol violations? You will likely need to contact the local law enforcement agency to get more information.
- ▶ Some data will tell a story that requires interpretation by people who are not on your coalition. Make a plan on how to get their help and include that in your worksheet.

NOTE: Later, after you have started implementing your strategic plan, these indicators of your targeted intervening variables will measure progress as you work to bring about changes in youth substance use.

**STEP FOUR:** After analyzing the data, propose a list of priorities for your coalition to discuss. The intervening variables (or risk factors) that you prioritize will become the goals and objectives of your strategic plan. But before identifying strategies, you will need more information about some of the issues you have identified in the needs assessment--you will need to identify contributing factors. Contributing factors answer the question, "why is this happening here?" or "what is contributing to this?" This data book does not have data that will answer all of those questions, so you will need to interview key people in the community, or develop a community-level survey. The contributing factors will be important components for explaining your theory of how your prevention strategic plan will achieve its goals.

**EXAMPLE:** According to the data, kids in your community don't believe they will be caught by the police for drinking. What might contribute to this perception? Maybe the police don't have enough personnel to patrol the popular drinking spots. Or maybe the police are doing more patrols than the kids know about. Or maybe it's some of both. Before deciding on a strategy, you will need to find out what contributes to this youthful perception of trouble-free drinking.

The DBHR Training Team has developed the "Needs Assessment Clinic", which is available on the Athena Forum. It includes a series of lessons and worksheets that go through the steps in a needs assessment process, from getting organized to making final decisions. See <http://www.theathenaforum.org/training/trainings>.

## When data are not available

Some data may not be available for your community for a number of reasons. When this happens, the tables in the data book may have one of the following symbols in the cells with missing data.

**NA** – Data are not available.

**S** – Fewer than 15 students in the grade took the Healthy Youth Survey OR the response rate was lower than 40%. In the section "Additional Healthy Youth Survey Data" starting on page 37 suppressed data points are shown as gaps in the trend lines and blank cells in the tables.

**NR** – Not reliable due to non-reporting of police jurisdictions data.


**UN** – Unreliable conversion of events to report geography.

**SP** – Suppressed by agreement with data provider when denominator is below 100.

**SN** – Small Number Sample. Geography has less than 30 events in the denominator.

## Where to use the information in this report in your Community Needs Assessment


This diagram demonstrates the components that correlate to the CPWI logic model. Each of these components include key data measures that feed into the logic model.



# How to Read the Charts and Tables

## EXAMPLE 1: Bar Charts with Confidence Intervals for HYS Data

### HYS Measures of School Performance



HYS Measures of School Performance	Your School District		School Districts Like Us		State		
	GRADE	2016	2018	2016	2018	2016	2018
Low Grades in School: Putting them all together, what were your grades like last year? (District results: Getting mostly, C's, D's, or F's)	8	35%	32% <sup>a</sup>	28% <sup>b</sup>	29%	26%	26%
	10	42%	42% <sup>d</sup>	38% <sup>b</sup>	36% <sup>b</sup>	32%	29% <sup>c</sup>

The lines centered on the bars are called the confidence intervals.

The 'a', 'b', 'c' and 'd' references in the tables (for HYS data only) help you notice important differences:

'a' means the 2018 rate is significantly different from the 2016 rate.

'd' indicates fewer than 30 students answered this question.

'b' means the "school districts like us" rate is significantly different from your school district rate; 'c' means the state rate is significantly different from your school district rate.

### What are Confidence Intervals?

It is unlikely that the percent score (or point estimate) reported for each question is exactly the same as the "true" value for all students in the school district. To describe this uncertainty (the difference between the reported value and the true value), this report includes 95% confidence intervals (CI) for the HYS data. The size of the confidence interval depends on the number of students answering each question. The more students who answer a survey question, the closer it will be to the true value. A 95% confidence interval means that we are 95% confident that the true value lies within this range.

If you are in a small school or school district, your CI will be wide. However, if your district surveyed the 7th-9th-11th graders, the estimates for the combined grades will be better than those you used in the last data report. Still, use caution when fewer than 30 students answered a question. But if you have an excellent participation rate, the point estimate is a good estimate for the students who took the survey—it's just that a small change in the number of students who answer a question (which students had the flu the day of the survey) can have a large impact on the point estimate.

NOTE: CORE data are not samples. This is why we do not report confidence intervals or statistical significance ('a', 'b', or 'c' in the table) for indicators from CORE data.


#### 1. A significant difference:

- Students in your community report 25% ± 5%, so the point estimate is 25% and the true range is 20% to 30%
- Students statewide report 36% ± 3%, so the point estimate is 36% and the true range is 33% to 39%
- The ranges don't overlap, so the difference is significant




2. Not a significant difference:

- Your students report 25% ± 5%, so the point estimate is 25% and the true range is 20% to 30%
- Statewide students report 28% ± 3%, so the point estimate is 28% and the true range is 25% to 31%
- The ranges overlap, so the difference is not significant



3. Not sure if there is a difference:

- Your students report 25% ± 5%, so the point estimate is 25% and the true range is 20% to 30%
- Statewide students report 32% ± 3%, so the point estimate is 32% and the true range is 29% to 35%
- The ranges just barely overlap, but don't include either the point estimate for your students (25%) or the state (32%), so you don't know for sure if they are really different




**EXAMPLE 2: Trend Line Charts**

Trend line charts allow you to monitor how indicators have changed over time. Note that gaps may appear in the trend lines and the tables if the data were not available that year. This could happen if, for example, a police jurisdiction did not submit arrest data to UCR, schools in the school district did not participate in HYS survey that year, or if the survey question was omitted for a particular grade level.

BE SURE to check the scale (units of measurement) for every chart because the scales in this report are different. For example, the chart below shows *Rate per 1,000* persons while the chart in Example 1 on the previous page shows *Percent* (which is another way to say, *Rate per 100 persons*).

**Arrests (Age 10-17), Alcohol Violation (Rate per 1,000)**



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Your Community	14	12		7	5	6	5	6	7	6	3	3
Your County	17	12		10	7	10	8	8	10	10	6	4
Washington State	10	9		8	8	7	6	7	8	7	6	5

## CONSEQUENCES | Behaviors that are known to be associated with substance abuse

The behaviors listed in this section of “consequences” are associated with alcohol use in some kids, but not in others. For some individuals, if drinking is reduced, these consequences will likely change—or, a change in these behaviors could lead to a change in drinking. Our theory is that if the rates of drinking go down in the community, there will be an impact on these consequences—there will be healthier and more successful youth in the community.

### School Performance

- Self-reported Grades
- Skipping School
- Graduation Rates

### Youth Delinquency

- Self-reported Fighting
- Carrying a Weapon
- Gang Membership
- Drinking and Driving
- Marijuana and Driving
- Arrest Rates
- Weapon Incidents in Schools


### Mental Health

- Depression
- Considering Suicide
- Suicide Attempts

## School Performance

As children pass through childhood and adolescence, into young adulthood, the developmental sequence of problem behaviors is not straightforward. For instance, doing poorly in school can bring about a change in friendships, and those new friends may in turn introduce a new behavior, like drinking or fighting. At a different age, a youth who used to do well in school could start drinking, and that in turn could lead to poorer performance in school. In other words, which came first—the drinking or the poor school performance?

### HYS Measures of School Performance (2021, Percent)



HYS Measures of School Performance	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Low Grades in School.</b> Putting them all together, what were your grades like last year? (District results: Getting mostly, C's, D's, or F's)	8	24%	29%	26%	32%	21%	26%
	10	28%	32%	29%	33%	25%	27%
<b>Skipping School.</b> During the last 4 weeks, how many whole days of school have you missed because you skipped or “cut”? (District results: Skipped any days)	8	16%	20%	15%	20%	14%	17%
	10	17%	20%	17%	20%	16%	17%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>c</sup> The state rate is significantly different from your district area rate.

<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.

<sup>d</sup> Fewer than 30 students answered this question.

### CORE Measures of School Performance (2016, Rate per 100)




CORE Measures of School Performance	Sample Community		County		State	
	2015	2016	2015	2016	2015	2016
<b>Extended Graduation Rate.</b> The rate per 100 of students in the freshman cohort who graduate including those students who stay in school and take more than four years to complete their degree.	11	12	11	12	11	12
<b>On-time Graduation Rate.</b> The rate per 100 of students in the freshman cohort who graduate in four years to complete their degree.	11	12	11	12	11	12
<b>Annual Dropout Rate.</b> The rate per 100 students enrolled in grades 9-12 who drop out in a single year without completing high school.  Recent years for this measure are unavailable. 2018 data is displayed.		2018 4		2018 4		2018 4

## Youth Delinquency

The relationships between youth delinquency and substance use are strong. We don't know if delinquency leads to substance use, or the other way around. We do know that the risk factors are similar, and good prevention activities would likely affect both.

### HYS Measures of Youth Delinquency (2021, Percent)



HYS Measures of Youth Delinquency	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Fighting.</b> During the past 12 months, how many times were you in a physical fight? (District results: At least once)	8	28%	20%	27%	20%	26%	17%
	10	21%	10%	20%	11%	19%	9%
<b>Weapon Carrying.</b> During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? (District results: At least once)	8	4%	3%	4%	3%	3%	2%
	10	5%	3%	5%	3%	5%	2%
<b>Gang Membership.**</b> During the past 12 months, have you been a member of a gang? (District Results "Yes")	8	7%	4%	7%	4%	7%	4%
	10	7%	4%	6%	4%	6%	4%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

\*\* In 2014, the following description was added: A gang is a group of people with a leader who act together often for violent or illegal activities.


<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.

<sup>c</sup> The state rate is significantly different from your school district area rate.

<sup>d</sup> Fewer than 30 students answered this question.

## HYS Measures of Youth Delinquency (2021, Percent)



HYS Measures of Youth Delinquency	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Drinking and Driving.</b> During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? <i>(District results: Any times)</i>	8	4%	1%	4%	1%	3%	0%
	10	6%	1%	5%	1%	5%	0%
<b>Marijuana and Driving.</b> During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana? <i>(District results: Any times)</i>	8	7%	1%	6%	1%	5%	1%
	10	11%	2%	10%	2%	9%	1%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your school district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## CORE Measures of Youth Delinquency (2020, Rate per 1,000)




CORE Measures of Youth Delinquency	Sample Community		County		State	
	2019	2020	2019	2020	2019	2020
<b>Arrests: Alcohol Violations (10-17).</b> The arrests of adolescents (age 10-17) for alcohol violations, per 1,000 adolescents (age 10-17). Alcohol violations include all crimes involving driving under the influence, liquor law violations, and drunkenness.	NR	0.9	1.5	1.1	1.0	0.6
<b>Arrests: Drug Law Violations (10-17).</b> The arrests of adolescents (age 10-17) for drug law violations, per 1,000 adolescents (age 10-17).	NR	0.8	2.4	0.7	1.6	0.5
<b>Arrests: Alcohol or Drug-Related (10-14).</b> The arrests of younger adolescents (age 10-14) for alcohol and drug law violations, per 1,000 adolescents (age 10-14).	NR	0.5	1.9	0.6	1.1	0.3
<b>Arrests: Total (10-17).</b> The arrests of adolescent (age 10-17) for any crime, per 1,000 adolescents (age 10-17).	NR	12.5	19.4	11.1	16.7	9.0
<b>Weapons Incidents in School.</b> The number of reported incidents involving guns and other weapons at any grade level per 1000 students of all grades enrolled in October.	1.4	0.0	1.6	0.0	2.2	0.0

## Mental Health

During childhood, risk for substance abuse is higher for those who have a difficult temperament, poor self-regulatory skills, are sensation seeking, are impulsive, and do not tend to avoid harm. Children who have early persistent behavior problems are also more likely to develop a substance use problem. Furthermore, substance abuse is often found among kids who also have anxiety, depression, and attention deficit hyperactivity disorder.

### HYS Measures of Mental Health (2021, Percent)



HYS Measures of Mental Health	Sample Community		School Districts Like Us		State		
	GRADE	2018	2021	2018	2021	2018	2021
<b>Depression.</b> During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? ( <i>District results: "Yes"</i> )	8	34%	37%	35%	37%	32%	35%
	10	42%	40%	41%	41%	40%	38%
<b>Considering Suicide.</b> During the past 12 months, did you ever seriously consider attempting suicide? ( <i>District results: "Yes"</i> )	8	22%	21%	21%	20%	20%	19%
	10	25%	22%	25%	22%	23%	20%
<b>Attempted Suicide.</b> During the past 12 months, how many times did you actually attempt suicide? ( <i>District results: Any suicide attempts</i> )	8	11%	11%	11%	11%	10%	9%
	10	13%	9%	11%	9%	10%	8%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>c</sup> The state rate is significantly different from your district area rate.

<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.

<sup>d</sup> Fewer than 30 students answered this question.

### CORE Measures of Mental Health (2020, Rate per 100,000)



CORE Measures of Mental Health	Sample Community		County		State	
	2019	2020	2019	2020	2019	2020
<b>Suicide Deaths and Attempts (Age 10-17).</b> The annual number of adolescents (age 10-17) who died by suicide or were admitted to the hospital for suicide attempts, per 100,000 adolescents (age 10-17). Suicide deaths are based on death certificate information. Suicide attempts are based on hospital admissions, but do not include admissions to federal hospitals like those on military bases.	187	347	191	299	227	313

## CONSUMPTION | Measures of the number of youth using/consuming alcohol and other substances

Consumption measures refer to the number of people who use a particular substance, whether alcohol, tobacco, marijuana, prescription drugs, or an illicit substance. Beginning in 2020, the measures also include the use of e-cigarettes, or vaping. E-cigarettes may contain nicotine, cannabis, flavorings, chemicals, and other substances.


### Youth Substance Use

- Current Drinking
- Problem or Heavy Drinking
- Cigarette Smoking
- Vaping
- Marijuana Use
- Other Illegal Drugs

### Youth Substance Use

Alcohol is the most widely used substance in our state, and is associated with the most harm due to its higher frequency of use. Consumption measures are also available for tobacco, marijuana, prescription drugs, other illegal drugs, as well as e-cigarettes or vaping.

### HYS Measures of Youth Substance Use (2021, Percent)



HYS Measures of Youth Substance Use	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Current Drinking.</b> During the past 30 days, on how many days did you: Drink a glass, can or bottle of beer? (District results: Drink any days)	8	10%	5%	10%	4%	8%	4%
	10	20%	8%	20%	10%	18%	8%
<b>Problem/Heavy Drinking.</b> (District results: 3-5 days drinking in the past 30 days and/or 1 binge past 2 weeks, or 6+ days drinking in the past 30 days and/or 2+ binge past 2 weeks)	8	7%	5%	7%	4%	5%	3%
	10	13%	7%	13%	7%	11%	7%
<b>Current Cigarette Smoking.</b> During the past 30 days, on how many days did you: Smoke cigarettes? (District results: Smoke any days)	8	4%	2%	4%	2%	3%	1%
	10	7%	3%	7%	2%	5%	2%
<b>Current E-cigarette/Vape Use:</b> During the past 30 days, on how many days did you use an electronic cigarette, also called e-cigs, or vape pens? (Results: Use any days)	8	13%	7%	13%	7%	10%	5%
	10	24%	9%	24%	9%	21%	8%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

a. No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).


b. The 'school districts like us' rate is significantly different from your school district area rate.

c. The state rate is significantly different from your district rate.

d. Fewer than 30 students answered this question.

## HYS Measures of Youth Substance Use (2021, Percent)

Using prescription drugs in a way not intended by a doctor - to stay awake or "to get high" for instance - is considered drug abuse. In particular, drugs that affect the brain can lead to dependence. This is true of opioid pain relievers, stimulants, and depressants.



HYS Measures of Youth Substance Use	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Current Marijuana Use.</b> During the past 30 days, on how many days did you: Use marijuana or hashish? (District results: Use any days)	8	9%	4%	9%	4%	7%	3%
	10	20%	9%	19%	9%	18%	7%
<b>Current Other Illegal Drug Use.</b> During the past 30 days, on how many days did you: not counting alcohol, tobacco, or marijuana, use another illegal drug? (District results: Use any days)	8	4%	2%	4%	2%	3%	1%
	10	7%	2%	6%	2%	6%	1%
<b>Current Pain Killer Use.</b> During the past 30 days, on how many days did you: Use a pain killer to get high, like Vicodin, OxyContin or Percocet? (District results: Use any days)	8	3%	1%	3%	1%	2%	1%
	10	4%	1%	4%	1%	4%	1%
<b>Any Prescription Drug Use:</b> During the past 30 days, on how many days did you: Use prescription drugs not prescribed to you? (Results: Use any days)	8	6%	2%	5%	2%	6%	1%
	10	8%	2%	7%	2%	7%	1%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>c</sup> The state rate is significantly different from your district area rate.

<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.

<sup>d</sup> Fewer than 30 students answered this question.

## HYS Measures of Marijuana Methods of Use (2021, Percent)



HYS Measures of Marijuana Methods of Use	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Method of Marijuana Use:</b> In the past 30 days, if you used marijuana, how did you usually use it? Choose all that apply.							
Note: Question changed from single choice to 'all that apply' in 2021. Comparisons to 2018 are not possible.							
Smoked it (in a joint, bong, pipe, blunt)	8		67%		61%		74%
	10		73%		68%		69%
Ate it (in brownies, cakes, cookies, candy)	8		27%		30%		34%
	10		32%		31%		31%
Drank it (tea, cola, alcohol)	8		9%		6%		2%
	10		13%		6%		6%
Vaporized it	8		33%		36%		43%
	10		56%		48%		47%
Dabbed it	8		27%		28%		37%
	10		36%		39%		36%
Used it some other way	8		9%		8%		6%
	10		3%		7%		7%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

b The "school districts like us" rate is significantly different from your school district area rate.

c The state rate is significantly different from your district area rate.

d Fewer than 30 students answered this question.

## HYS Measures of Substance Used in E-cigarette/Vape Pens (2021, Percent)



HYS Measures of Substance used in e-cig or vape pen	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<p><b>Substance used in E-Cig or Vape Pen:</b> During the past 30 days, what type of substances did you use in an electronic cigarette, also called e-cigs, or vape pens?</p> <p>Note: 2018 results are excluded. Response options for this question changed in 2021 and comparisons to 2018 are not possible.</p>							
Flavored liquid with nicotine	8		50%		49%		51%
	10		58%		59%		53%
Flavored liquid with THC (marijuana)	8		21%		20%		21%
	10		34%		35%		38%
Flavored liquid with nicotine and THC (marijuana)	8		14%		10%		14%
	10		11%		10%		11%
Flavored liquid with neither nicotine nor THC	8		5%		7%		9%
	10		4%		5%		3%
Don't Know	8		41%		43%		39%
	10		26%		27%		31%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## INTERVENING VARIABLES | Characteristics that are strongly predictive of underage drinking/substance abuse

The Intervening Variables in our logic model are those characteristics of the community that are likely to influence youth alcohol use. The coalition will assess these variables, and identify those that seem to have the most powerful influence. Prevention efforts will be selected that change the factors in the community that contribute to those characteristics.

### Community Connectedness

### Alcohol, Marijuana or E-cigarette Availability

- Availability**
  - Ease of Access
  - Retail or Social Access (Usual Source)
  - Density of Licenses
- Risk of Use**
  - Perception of Law Enforcement Risk
  - Perception of Risk of Harm from Alcohol/Drug Use and E-cigarette/Vaping
- Norms around Use**
  - Attitudes Toward Youth Use
  - Friends Use
  - Perception of Adult Attitudes

### Perception of Risk Community Norms

- Acceptability Among Peer and Community
- Risk and Protective Factors**
- Parental Attitudes Tolerant of Substance Use
  - Early Initiation of Drugs
  - Intentions to Use Drugs
  - Friends Use of Drugs
  - Social Skills


## Community Connectedness

Measures of community connectedness are not available at the state level and so are not included in this data book. Coalitions can develop measures locally—and those measures should be collected on a regular (perhaps annual) basis.

## Alcohol, Marijuana or E-cigarette Availability

There are two aspects of availability that are important in determining prevention priorities. First, there is the actual physical availability—places where youth can get the substance. Second is the perception of availability—the belief that the substance is, or would be, available to them. Both of these have to change in order for there to be a significant impact on use rates.

### HYS Measures of Alcohol or Marijuana Availability (2021, Percent)



HYS Measures of Alcohol or Marijuana Availability	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
Youth Think Alcohol is Easy to Get. If you wanted to get some beer, wine, or hard liquor, how easy would it be for you to get some? (District results: "Very easy" and "Sort of easy")	8	30%	26%	30%	26%	31%	25%
	10	47%	42%	47%	40%	48%	41%
Youth Think Marijuana is Easy to Get. If you wanted to get some marijuana, how easy would it be for you to get some? (District results: "Very easy" and "Sort of easy")	8	24%	19%	24%	18%	21%	16%
	10	50%	36%	49%	36%	49%	32%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

b The "school districts like us" rate is significantly different from your school district area rate.

c The state rate is significantly different from your district area rate.

d Fewer than 30 students answered this question.

## HYS Measures of Alcohol Availability, Grade 10 (2021, Percent)



HYS Measures of Alcohol Availability	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Where Youth Usually Get Alcohol.</b> During the past 30 days, how did you usually get alcohol?							
I bought it from a store	8	27%	13%	30%	5%	34%	3%
	10	38%	26%	37%	29%	38%	35%
I got it from friends	8	4%	19%	7%	18%	9%	24%
	10	12%	6%	12%	9%	11%	10%
I gave money to someone to get it for me	8	23%	6%	25%	5%	30%	7%
	10	17%	21%	20%	22%	21%	21%
I took it from home without permission	8	14%	29%	13%	29%	19%	26%
	10	11%	23%	14%	28%	12%	26%
I got it at home with permission	8	15%	0%	15%	13%	13%	11%
	10	21%	17%	22%	21%	24%	25%
I got it at a party	8	9%	0%	7%	7%	6%	8%
	10	10%	9%	8%	9%	5%	11%
I got it from an older brother or sister	8	8%	0%	11%	4%	7%	3%
	10	10%	5%	9%	6%	9%	5%
I stole it from a store	8	10%	10%	8%	5%	7%	7%
	10	0% <sup>0</sup>	11%	0% <sup>0</sup>	8%	0% <sup>0</sup>	7%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## HYS Measures of E-Cigarette / Vape Product Availability, Grade 10 (2021, Percent)



HYS Measures of Vape Product Availability	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Where Youth Usually Get Vape Products.</b> During the past 30 days, how did you usually get your own electronic vapor products?							
I bought them in a store (convenience store, supermarket, discount store, or gas station).	8	8%	2%	7%	3%	8%	2%
	10	7%	6%	7%	4%	8%	4%
I got them on the internet.	8	5%	1%	7%	4%	8%	5%
	10	8%	4%	6%	3%	6%	1%
I gave someone else money to buy them for me.	8	17%	17%	16%	17%	17%	14%
	10	20%	20%	21%	18%	21%	19%
I borrowed (or bummed) them from someone else.	8	32%	30%	31%	29%	33%	34%
	10	32%	32%	35%	32%	35%	35%
A person 18 years old or older gave them to me.	8	10%	7%	10%	9%	8%	10%
	10	12%	9%	11%	11%	9%	7%
I took them from a store or family member.	8	7%	8%	7%	7%	7%	8%
	10	2%	3%	3%	3%	2%	3%
I got them some other way.	8	23%	35%	23%	29%	19%	26%
	10	18%	29%	18%	27%	19%	27%
I bought them in a vape shop. (new 2021)	8		1%		2%		1%
	10		1%		2%		3%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## HYS Measures of Marijuana Availability, Grade 10 (2021, Percent)



HYS Measures of Marijuana Availability	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Where Youth Usually Get Marijuana.</b> During the past 30 days, how did you usually get marijuana?							
I bought it from a store	8	7%	6%	7%	6%	6%	6%
	10	0% <sup>0</sup>	13%	0% <sup>0</sup>	7%	0% <sup>0</sup>	9%
I got it from friends	8	51%	58%	52%	55%	54%	57%
	10	0% <sup>0</sup>	47%	0% <sup>0</sup>	47%	0% <sup>0</sup>	51%
I gave money to someone to get it for me	8	18%	19%	19%	20%	15%	19%
	10	0% <sup>0</sup>	14%	0% <sup>0</sup>	15%	0% <sup>0</sup>	18%
I took it from home without permission	8	6%	8%	7%	8%	8%	9%
	10	0% <sup>0</sup>	9%	0% <sup>0</sup>	11%	0% <sup>0</sup>	11%
I got it at home with permission	8	9%	14%	8%	12%	6%	9%
	10	0% <sup>0</sup>	5%	0% <sup>0</sup>	5%	0% <sup>0</sup>	4%
I got it at a party	8	12%	8%	14%	10%	13%	10%
	10	0% <sup>0</sup>	12%	0% <sup>0</sup>	11%	0% <sup>0</sup>	13%
I got it from an older brother or sister	8	11%	9%	11%	11%	10%	9%
	10	0% <sup>0</sup>	13%	0% <sup>0</sup>	11%	0% <sup>0</sup>	11%
I stole it from a store	8	4%	1%	4%	2%	4%	1%
	10	0% <sup>0</sup>	7%	0% <sup>0</sup>	5%	0% <sup>0</sup>	6%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## CORE Measures of Alcohol Availability (2020, Rate per 1,000)



CORE Measures of Alcohol Availability	Sample Community		County		State	
	2019	2020	2019	2020	2019	2020
<b>Active Alcohol Retailers.</b> The number of alcohol retail licenses active during the year, per 1,000 persons (all ages). Retail licenses include restaurants, grocery stores, and wine shops but do not include state liquor stores and agencies. Retail alcohol facilities on military bases and reservations are not licensed by the State and therefore are not included in these data.	2.0	2.0	2.3	2.3	2.1	2.1


### Promotion of Alcohol

Promotion of alcohol refers to the advertising of alcohol sales in magazines, television, and other media, as well as store windows, give-away promotions, and product placement. We also think of the role alcohol plays in celebrations, and in the movies and television stories as promoting alcohol use. Measures of promotion of alcohol are not available at the state level and so are not included in this data book. Coalitions can develop measures locally—and those measures should be collected on a regular (perhaps annual) basis.

## Enforcement of Alcohol Laws

Enforcement of alcohol laws has two dimensions. First, all communities have laws about underage drinking, and about where and under what circumstances alcohol can be served. However, law enforcement agencies rarely have the capacity to enforce all laws to their full extent. Furthermore, the law enforcement and legal communities have some discretion about the circumstances under which penalties are applied. Besides the actual enforcement of alcohol laws, another dimension has to do with the perception in the community about that enforcement. In theory, the threat or expectation of law enforcement has a deterrent effect.

### HYS Measures of Enforcement of Alcohol Laws (2021, Percent)



HYS Measures of Enforcement of Alcohol Laws	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
Police Don't Enforce Underage Drinking. If a kid drank some beer, wine, or hard liquor in your community would he or she be caught by the police? (District results: "NO!" and "no")	8	54%	57%	56%	58%	55%	57%
	10	73%	70%	73%	70%	74%	70%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.


## Perception of Risk of Harm from Substance Use

Most prevention programs have educational components that include information about the harm that alcohol and drugs can do to individuals. However, given that alcohol is so widely consumed and marijuana is now legalized for adult use, these messages are sometimes difficult for youth to fully accept.

Many people are not aware of the dangers associated with the use of some prescription drugs—especially those that affect the brain. The presence of these drugs in the home medicine cabinet, and their presence in the "black market", can tempt a youth who wants "to get high" if they don't realize there are serious risks involved.

Ease of access to e-cigarettes and the perception that they are less dangerous than regular cigarettes have fueled an alarming increase in consumption among school-aged youth. Latest vaping products, such as JUUL, are small and easy to hide, making timely detection more difficult.

### HYS Measures of Perception of Risk of Harm from Substance Use (2021, Percent)



HYS Measures of Perception of Risk of Harm	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Regular Alcohol Drinking Isn't Risky.</b> How much do you think people risk harming themselves if they take one or two drinks of an alcoholic beverage nearly every day? (District results: "No risk" and "Slight risk")	8	29%	21%	29%	23%	27%	20%
	10	27%	21%	27%	20%	25%	18%
<b>Prescription Drug Use Isn't Risky.</b> How much do you think people risk harming themselves if they: Use prescription drugs that are not prescribed to them? (District Results: "No risk" and "Slight risk")	8	13%	9%	11%	8%	11%	8%
	10	11%	9%	11%	8%	11%	7%
<b>Regular Marijuana Use Isn't Risky.</b> How much do you think people risk harming themselves if they use marijuana regularly? (District Results: "No risk" and "Slight risk")	8	30%	25%	29%	24%	24%	21%
	10	37%	34%	37%	34%	36%	30%
<b>Regular E-cigarette Use Isn't Risky.</b> How much do you think people risk harming themselves if they use electronic cigarettes also called e-cigs or vape pens regularly? (District Results: "No risk" and "Slight risk")	8	26%	16%	29%	17%	23%	14%
	10	30%	26%	31%	17%	29%	15%

\* The bar chart includes 8th and 10 grade 2021 HYS results for your school district area, 'school districts like us' and the state.

a. No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

b. The 'school districts like us' rate is significantly different from your school district area rate.


c. The state rate is significantly different from your district area rate.

d. Fewer than 30 students answered this question.

## Community Norms

Personal decisions about behavior—about what behavior is appropriate and acceptable—are to some extent based on understanding of what a community considers to be normal behavior. However, knowledge of what that norm is can be faulty. Some researchers argue that youth over-estimate the amount of alcohol and drugs other youth consume, or they may underestimate the strength of disapproval of underage drinking and drug use held by their peers or adult community members. Thus, there are two dimensions to questions about community norms around alcohol use: what people think about the behavior and attitudes of others, and what those attitudes and behaviors actually are.

### HYS Measures of Community Norms (2021, Percent)



HYS Measures of Community Norms	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Youth Don't Think Regular Drinking is Wrong.</b> How wrong do you think it is for someone your age to: Drink beer, wine, or hard liquor regularly? (District results: "A little bit wrong" and "Not at all wrong")	8	16%	15%	16%	15%	14%	13%
	10	28%	32%	28%	32%	27%	32%
<b>Friends Drink Alcohol.</b> How many of your best friends have: Tried beer, wine, or hard liquor when their parents didn't know about it? (District results: Any friends)	8	29%	22%	29%	23%	26%	18%
	10	50%	39%	50%	38%	49%	35%
<b>Community Doesn't Think Drinking is Wrong.</b> How wrong would most adults in your neighborhood or community think it is for kids your age to drink alcohol? (Results: "A little bit wrong" and "Not at all wrong")	8	12%		13%		12%	
	10	22%		21%		20%	

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

### HYS Measures of Community Norms (2021, Percent)



HYS Measures of Community Norms	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Youth Don't Think Marijuana Use Is Wrong.</b> How wrong do you think it is for someone your age to use marijuana? (District results: "A little bit wrong" and "Not at all wrong")	8	19%	13%	19%	13%	16%	11%
	10	36%	32%	36%	30%	35%	29%
<b>Friends Use Marijuana.</b> How many of your best friends have used marijuana? (District results: Any friends)	8	27%	20%	27%	18%	23%	15%
	10	49%	36%	49%	34%	48%	32%
<b>Community Doesn't Think Marijuana Use is Wrong.</b> How wrong would most adults in your neighborhood or community think it is for kids your age to use marijuana? (Results: "A little bit wrong" and "Not at all wrong")	8	12%		13%		10%	
	10	21%		22%		19%	

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.


d Fewer than 30 students answered this question.

## HYS Measures of Family Norms

### Parental attitude tolerant of prescription drug use not prescribed to youth

Many people have prescription drugs for medical reasons, and for youth opioids may be prescribed for dental surgery or athletic injuries. Parents must make clear distinctions between use of these drugs when that use is necessary and helpful, and use that is unnecessary and is not allowed. However, if the youth in the family are not aware of the distinctions made by their parents, then they may be more likely to abuse those drugs when available.

### HYS Measures of Family Norms (2021, Percent)



HYS Measures of Family Norms	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Parents Don't Think Prescription Drug Use is Wrong.</b> How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you? (Results: "A little bit wrong" and "Not at all wrong")	8	4%	3%	4%	3%	5%	3%
	10	6%	4%	5%	3%	5%	3%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>c</sup> The state rate is significantly different from your district area rate.

<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.


<sup>d</sup> Fewer than 30 students answered this question.

## HYS Measures of Peer Norms

### Peer attitude tolerant of prescription drug use not prescribed to youth

Youth are strongly influenced by the opinions of their peers. In fact, having friends who use drugs is the best predictor of an individual's own drug use. So, if youth have friends who are not aware of the risk of using prescription drugs, they themselves are more likely to use those drugs.

### HYS Measures of Peer Norms (2021, Percent)



HYS Measures of Peer Norms	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Friends Don't Think Prescription Drug Use Is Wrong.</b> How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you? (Results: "A little bit wrong" and "Not at all wrong")	8	11%	8%	10%	7%	10%	6%
	10	15%	10%	15%	9%	15%	8%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## Risk and Protective Factors

Researchers at the University of Washington developed a public health model for the prevention of substance abuse. They identified risk factors that predict youth substance use—factors that if reduced would lead to lower rates of youth substance use, and protective factors—those that can protect an individual from the effect of risk factors. Prevention strategies that increase protective factors reduce the likelihood of substance use and the consequences of substance use.

For 8th and 10th graders, the Healthy Youth Survey includes 24 risk and protective factors in four social domains: community, school, family, and peer/individual. Each “factor” consists of two or more questions so that the factor includes multiple dimensions of the risk or protection being measured. The risk factor scores and protective factor scores refer to the percent of youth “at risk” or “protected” by that factor.


### HYS Measures of Risk and Protective Factors Most Strongly Associated with Alcohol and Marijuana Use

The following four risk factors and one protective factor were found to be most strongly associated factors with alcohol and marijuana use at the state level:

- Parental Attitudes Tolerant of Substance Use
- Friends Use of Drugs
- Social Skills
- Early Initiation of Drugs
- Favorable Attitudes Toward Drug Use

Data on all of the risk and protective factors are available beginning on page 64.

### HYS Risk Factors (2021, Percent at Risk)



HYS Risk Factors	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
Parental Attitudes Tolerant of Substance Use	8	28%	33%	27%	32%	25%	32%
	10	41%	44%	42%	43%	39%	43%
Early Initiation of Drugs	8	19%	20%	18%	20%	15%	18%
	10	21%	17%	21%	16%	18%	14%
Favorable Attitudes Toward Drug Use	8	31%	29%	31%	29%	29%	25%
	10	40%	40%	40%	39%	39%	39%
Friends' Use of Drugs	8	23%	15%	23%	15%	20%	12%
	10	24%	15%	23%	15%	22%	14%

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.


a No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

c The state rate is significantly different from your district area rate.

b The "school districts like us" rate is significantly different from your school district area rate.

d Fewer than 30 students answered this question.

## HYS Protective Factor (2021, Percent Protected)



HYS Protective Factor	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
Social Skills. <i>(District results: Percent protected)</i>	8	66%		67%		69%	
	10	59%		59%		60%	

\* The bar chart includes 2021 HYS results for your school district area, 'school districts like us' and the state.

<sup>a</sup> No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

<sup>c</sup> The state rate is significantly different from your district area rate.


<sup>b</sup> The "school districts like us" rate is significantly different from your school district area rate.

<sup>d</sup> Fewer than 30 students answered this question.

## Extreme Economic Deprivation


Economic deprivation is an important risk factor, but it is not measured by the Healthy Youth Survey. Furthermore, it is not in the logic model because our prevention efforts do not address poverty. Nevertheless, economic deprivation creates conditions in which some of the risk factors become most serious, and where the importance of protective factors cannot be overemphasized.

### CORE Measures of Extreme Economic Deprivation (2020, Percent)




CORE Measures of Extreme Economic Deprivation	Sample Community		County		State	
	2019	2020	2019	2020	2019	2020
<b>Aid to Families TANF Programs (Ages 0-17).</b> The percent of children (age birth-17) participating in Aid to Families (AFDC/TANF) programs in the fiscal year.	6	7	5	6	4	5
<b>Students Eligible for Free or Reduced-price Meals.</b> The percent of students eligible for free or reduced price lunch.	58	58	48	48	43	44

## Age at First Use: Vaping (10th Grade, 2021, Percent)



### Vaping: Percent of 10th Grade Students who Have Started Vaping, by Age



#### Interpreting this chart:

In 2021, 3% of Sample Community 10th grade students said they started vaping by age 11. 22% percent reported starting by age 15. 78% say they have not started vaping. Note that most 10th grade students were 15 years old at the time of survey; results for age 16+ for 10th graders should be interpreted with caution.

HYS Measure: Age of First Use	GRADE	Sample Community		School Districts Like Us		State	
		2018	2021	2018	2021	2018	2021
<b>Average Age</b>	10	13.6	13.3	13.7	13.2	13.7	13.3
Started vaping by Age 10 or younger	10	3%	1%	2%	1%	2%	1%
Started vaping by Age 11	10	5%	3%	4%	3%	3%	2%
Started vaping by Age 12	10	8%	6%	7%	6%	6%	5%
Started vaping by Age 13	10	13%	13%	13%	12%	11%	10%
Started vaping by Age 14	10	26%	19%	25%	17%	23%	15%
Started vaping by Age 15	10	37%	22%	37%	21%	34%	18%
Started vaping by Age 16	10	38%	22%	38%	21%	35%	18%
Started vaping by Age 17	10	38%	22%	38%	21%	35%	19%

\* The charts include 2021 HYS results for your school district area, 'school districts like us' and the state.

a. No significance testing for difference from the 2018 rate was performed (see p. 3, About Data).

b. The 'school districts like us' rate is significantly different from your school district area rate.

c. The state rate is significantly different from your district rate.

d. Fewer than 30 students answered this question.

## Additional Healthy Youth Survey Data

This section includes trend charts for the individual HYS questions used in the data book when available. Also included are local and state comparison charts for all of the Risk and Protective Factor scale results (not just those strongly associated with youth alcohol use). Lists of the individual questions that go into making each factor scale are provided.

The bar charts and tables includes HYS district and state results for all years available from 2012. Only the percent of students for each measure are presented. For more information on the number of respondents to each measure, please visit [www.AskHYS.net](http://www.AskHYS.net). AskHYS includes item frequency reports from 2002 to 2021 at [www.AskHYS.net/reports](http://www.AskHYS.net/reports). Fact sheets on specific topics are also available.

Consequence Measures	Consumption Measures	Intervening Variable Measures
<p><b>School Performance</b></p> <ul style="list-style-type: none"> <li>• Low Grades in School</li> <li>• Skipping School</li> </ul> <p><b>Youth Delinquency</b></p> <ul style="list-style-type: none"> <li>• Fighting</li> <li>• Weapon Carrying</li> <li>• Gang Membership</li> <li>• Drinking and Driving</li> </ul> <p><b>Mental Health</b></p> <ul style="list-style-type: none"> <li>• Depression</li> <li>• Considering Suicide</li> <li>• Suicide Attempts</li> </ul>	<p><b>Youth Substance Use</b></p> <ul style="list-style-type: none"> <li>• Current Drinking</li> <li>• Problem/Heavy Drinking</li> <li>• Current Cigarette Smoking</li> <li>• Current Marijuana Use</li> <li>• Current Other illegal Drug Use</li> <li>• Current Prescription Drug Use</li> </ul>	<p><b>Alcohol or Marijuana Availability</b></p> <ul style="list-style-type: none"> <li>• Ease of Access</li> </ul> <p><b>Alcohol Laws</b></p> <ul style="list-style-type: none"> <li>• Police Don't Enforce Underage Drinking</li> </ul> <p><b>Perception of Risk</b></p> <ul style="list-style-type: none"> <li>• Regular Drinking or Marijuana isn't Risky</li> </ul> <p><b>Norms around Use</b></p> <ul style="list-style-type: none"> <li>• Attitudes Toward Youth Use</li> <li>• Friends Use</li> <li>• Perception of Adult Attitudes</li> </ul> <p><b>Perception of Risk Community Norms</b></p> <ul style="list-style-type: none"> <li>• Acceptability Among Peer and Community</li> </ul>


### All Risk and Protective Factor Scales

<p><b>Community Risk Factors</b></p> <ul style="list-style-type: none"> <li>• Perceived Availability of Drugs</li> <li>• Laws and Norms Favorable to Drug Use</li> </ul> <p><b>Community Protective Factors</b></p> <ul style="list-style-type: none"> <li>• Opportunities for Prosocial Involvement</li> </ul> <p><b>Family Risk Factors</b></p> <ul style="list-style-type: none"> <li>• Poor Family Management</li> <li>• Parental Attitudes Tolerant of Substance Use</li> </ul> <p><b>Family Protective Factors</b></p> <ul style="list-style-type: none"> <li>• Opportunities for Prosocial Involvement</li> <li>• Rewards for Prosocial Involvement</li> </ul> <p><b>School Risk Factors</b></p> <ul style="list-style-type: none"> <li>• Academic Failure</li> <li>• Low Commitment to School</li> </ul>	<p><b>School Protective Factors</b></p> <ul style="list-style-type: none"> <li>• School Opportunities for Prosocial Involvement</li> <li>• School Rewards for Prosocial Involvement</li> </ul> <p><b>Peer-Individual Risk Factors</b></p> <ul style="list-style-type: none"> <li>• Early Initiation of Drugs</li> <li>• Favorable Attitudes toward Drug Use</li> <li>• Perceived Risks of Use</li> <li>• Friends' Use of Drugs</li> </ul> <p><b>Peer-Individual Protective Factors</b></p> <ul style="list-style-type: none"> <li>• Social Skills</li> <li>• Belief in the Moral Order</li> <li>• Interactions with Pro-social Peers</li> </ul>
--	---

## HYS Measures of School Performance

### Low Grades in School


#### Grade 8



	2012	2014	2016	2018	2021
State	23%	21%	23%	22%	27%
SDLU	27%	27%	26%	26%	32%
Sample Community	29%	28%	27%	27%	34%

Putting them all together, what were your grades like last year?  
*(Results: Getting mostly, C's, D's, or F's)*


#### Grade 10



	2012	2014	2016	2018	2021
State	26%	26%	25%	25%	27%
SDLU	31%	31%	29%	28%	33%
Sample Community	32%	33%	31%	31%	36%

Putting them all together, what were your grades like last year?  
*(Results: Getting mostly, C's, D's, or F's)*

## Skippping School Grade 8




	2012	2014	2016	2018	2021
State	16%	16%	19%	14%	17%
SDLU	17%	18%	20%	16%	21%
Sample Community	18%	18%	21%	16%	21%

During the last 4 weeks, how many whole days of school have you missed because you skipped or "cut"?

*(Results: Skipped any days)*

## Grade 10



	2012	2014	2016	2018	2021
State	18%	18%	21%	16%	17%
SDLU	19%	21%	22%	17%	21%
Sample Community	19%	21%	23%	18%	23%


During the last 4 weeks, how many whole days of school have you missed because you skipped or "cut"?

*(Results: Skipped any days)*

# HYS Measures of Youth Delinquency

## Fighting


### Grade 8



	2012	2014	2016	2018	2021
State	29%	26%	26%	25%	16%
SDLU	31%	29%	27%	26%	18%
Sample Community	31%	30%	28%	27%	19%

During the past 12 months, how many times were you in a physical fight?  
(Results: At least once)


### Grade 10



	2012	2014	2016	2018	2021
State	23%	22%	21%	19%	9%
SDLU	24%	24%	22%	20%	11%
Sample Community	25%	25%	24%	22%	12%

During the past 12 months, how many times were you in a physical fight?  
(Results: At least once)


## Weapon Carrying Grade 8



	2012	2014	2016	2018	2021
State	4%	4%	4%	4%	2%
SDLU	5%	5%	5%	4%	3%
Sample Community	6%	5%	5%	5%	3%

During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? *(Results: At least once)*


## Grade 10



	2012	2014	2016	2018	2021
State	6%	6%	6%	5%	2%
SDLU	7%	7%	7%	5%	3%
Sample Community	7%	7%	8%	6%	3%

During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? *(Results: At least once)*


## Gang Membership Grade 8



	2012	2014	2016	2018	2021
State	6%	6%	5%	7%	4%
SDLU	6%	6%	5%	7%	4%
Sample Community	7%	6%	6%	7%	4%

During the past 12 months, have you been a member of a gang?  
(Results "Yes")


## Grade 10



	2012	2014	2016	2018	2021
State	6%	6%	5%	6%	4%
SDLU	6%	6%	5%	6%	4%
Sample Community	6%	6%	6%	7%	4%

During the past 12 months, have you been a member of a gang?  
(Results "Yes")


## Drinking and Driving Grade 8



	2012	2014	2016	2018	2021
State	4%	3%	4%	3%	0%
SDLU	4%	4%	4%	4%	1%
Sample Community	5%	4%	4%	4%	1%

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?  
(Results: Any times)

## Grade 10




	2012	2014	2016	2018	2021
State	5%	5%	5%	5%	0%
SDLU	6%	6%	6%	5%	1%
Sample Community	6%	7%	7%	6%	1%

During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?  
(Results: Any times)

# HYS Measures of Mental Health


## Depression Grade 8



	2012	2014	2016	2018	2021
State	27%	28%	29%	33%	36%
SDLU	28%	32%	31%	36%	38%
Sample Community	30%	34%	33%	38%	40%

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Results: "Yes")

## Grade 10




	2012	2014	2016	2018	2021
State	31%	35%	34%	40%	38%
SDLU	34%	38%	37%	41%	41%
Sample Community	34%	39%	38%	42%	43%

During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Results: "Yes")

## Considering Suicide


### Grade 8



	2012	2014	2016	2018	2021
State	17%	17%	17%	21%	19%
SDLU	18%	20%	19%	21%	21%
Sample Community	20%	21%	21%	23%	23%

During the past 12 months, did you ever seriously consider attempting suicide?  
(Results: "Yes")


### Grade 10



	2012	2014	2016	2018	2021
State	19%	20%	21%	23%	20%
SDLU	21%	22%	22%	24%	22%
Sample Community	21%	23%	23%	26%	23%

During the past 12 months, did you ever seriously consider attempting suicide?  
(Results: "Yes")


## Suicide Attempts Grade 8



	2012	2014	2016	2018	2021
State	8%	9%	9%	10%	9%
SDLU	9%	11%	10%	11%	10%
Sample Community	10%	12%	11%	12%	11%

During the past 12 months, how many times did you actually attempt suicide?  
(Results: Any suicide attempts)

## Grade 10




	2012	2014	2016	2018	2021
State	8%	10%	10%	10%	8%
SDLU	10%	12%	10%	12%	9%
Sample Community	10%	12%	10%	12%	10%

During the past 12 months, how many times did you actually attempt suicide?  
(Results: Any suicide attempts)

NOTE: The question wording in 2008 did not match prior or later wording and is not comparable to other years for all grades.

## HYS Measures of Youth Substance Use


### Current Drinking Grade 8



	2012	2014	2016	2018	2021
State	14%	10%	10%	10%	4%
SDLU	16%	13%	11%	12%	5%
Sample Community	17%	13%	12%	13%	6%

During the past 30 days, on how many days did you: Drink a glass, can or bottle of beer?  
(Results: Drink any days)

### Grade 10




	2012	2014	2016	2018	2021
State	23%	21%	20%	18%	8%
SDLU	26%	23%	21%	20%	9%
Sample Community	27%	24%	22%	21%	11%

During the past 30 days, on how many days did you: Drink a glass, can or bottle of beer?  
(Results: Drink any days)

## Problem/Heavy Drinking


### Grade 8



	2012	2014	2016	2018	2021
State	10%	7%	6%	6%	4%
SDLU	11%	9%	7%	8%	5%
Sample Community	12%	9%	8%	8%	6%

*(Results: 3-5 days drinking in the past 30 days and/or 1 binge past 2 weeks, or 6+ days drinking in the past 30 days and/or 2+ binge past 2 weeks)*

### Grade 10




	2012	2014	2016	2018	2021
State	17%	13%	13%	11%	7%
SDLU	18%	15%	14%	13%	7%
Sample Community	19%	16%	15%	14%	9%

*(Results: 3-5 days drinking in the past 30 days and/or 1 binge past 2 weeks, or 6+ days drinking in the past 30 days and/or 2+ binge past 2 weeks)*

## Current Cigarette Smoking


### Grade 8



	2012	2014	2016	2018	2021
State	6%	5%	4%	3%	1%
SDLU	7%	6%	4%	4%	2%
Sample Community	8%	7%	5%	5%	2%

During the past 30 days, on how many days did you: Smoke cigarettes?  
(Results: Smoke any days)

### Grade 10




	2012	2014	2016	2018	2021
State	10%	8%	6%	5%	2%
SDLU	12%	10%	8%	7%	2%
Sample Community	12%	10%	9%	8%	3%

During the past 30 days, on how many days did you: Smoke cigarettes?  
(Results: Smoke any days)

## Current Marijuana Use


### Grade 8



	2012	2014	2016	2018	2021
State	11%	9%	8%	9%	4%
SDLU	12%	11%	10%	11%	5%
Sample Community	14%	12%	11%	12%	6%

During the past 30 days, on how many days did you: Use marijuana or hashish?  
(Results: Use any days)

### Grade 10




	2012	2014	2016	2018	2021
State	19%	18%	17%	18%	7%
SDLU	21%	20%	18%	19%	8%
Sample Community	22%	21%	19%	21%	10%

During the past 30 days, on how many days did you: Use marijuana or hashish?  
(Results: Use any days)

## Current Other Illegal Drug Use


### Grade 8



	2012	2014	2016	2018	2021
State	3%	2%	3%	4%	1%
SDLU	3%	3%	3%	4%	2%
Sample Community	4%	3%	4%	5%	2%

During the past 30 days, on how many days did you: not counting alcohol, tobacco, or marijuana, use another illegal drug?  
(Results: Use any days)

### Grade 10




	2012	2014	2016	2018	2021
State	5%	4%	6%	6%	1%
SDLU	5%	5%	6%	6%	2%
Sample Community	5%	5%	7%	7%	2%

During the past 30 days, on how many days did you: not counting alcohol, tobacco, or marijuana, use another illegal drug?  
(Results: Use any days)

## Current Pain Killer Use


### Grade 8



	2012	2014	2016	2018	2021
State	4%	3%	3%	3%	1%
SDLU	4%	3%	3%	3%	1%
Sample Community	5%	3%	3%	3%	1%

During the past 30 days, on how many days did you: Use a pain killer to get high, like Vicodin, OxyContin or Percocet?  
(Results: Use any days)

### Grade 10




	2012	2014	2016	2018	2021
State	6%	5%	4%	4%	1%
SDLU	7%	5%	5%	4%	1%
Sample Community	6%	6%	5%	5%	1%

During the past 30 days, on how many days did you: Use a pain killer to get high, like Vicodin, OxyContin or Percocet?  
(Results: Use any days)

## HYS Measures of Alcohol or Marijuana Availability

### Youth Think Alcohol is Easy to Get


#### Grade 8



	2012	2014	2016	2018	2021
State	35%	32%	30%	34%	27%
SDLU	35%	33%	32%	33%	29%
Sample Community	38%	33%	34%	35%	31%

If you wanted to get some beer, wine, or hard liquor, how easy would it be for you to get some?  
(Results: "Very easy" and "Sort of easy")

#### Grade 10




	2012	2014	2016	2018	2021
State	52%	51%	47%	48%	41%
SDLU	54%	52%	48%	47%	39%
Sample Community	54%	52%	48%	49%	41%

If you wanted to get some beer, wine, or hard liquor, how easy would it be for you to get some?  
(Results: "Very easy" and "Sort of easy")

## Youth Think Marijuana is Easy to Get


### Grade 8



	2012	2014	2016	2018	2021
State	30%	26%	25%	26%	19%
SDLU	31%	31%	27%	28%	21%
Sample Community	34%	33%	31%	31%	24%

If you wanted to get some marijuana, how easy would it be for you to get some?  
*(Results: "Very easy" and "Sort of easy")*

### Grade 10




	2012	2014	2016	2018	2021
State	51%	53%	48%	49%	32%
SDLU	54%	55%	50%	49%	35%
Sample Community	55%	56%	50%	51%	37%

If you wanted to get some marijuana, how easy would it be for you to get some?  
*(Results: "Very easy" and "Sort of easy")*

# HYS Measures of Enforcement of Alcohol Laws

## Police Don't Enforce Underage Drinking Laws


### Grade 8



	2012	2014	2016	2018	2021
State	56%	53%	55%	58%	59%
SDLU	59%	58%	57%	58%	61%
Sample Community	60%	58%	59%	60%	63%

If a kid drank some beer, wine, or hard liquor in your community would he or she be caught by the police?  
*(Results: "NO!" and "no")*

### Grade 10




	2012	2014	2016	2018	2021
State	72%	73%	72%	74%	70%
SDLU	73%	74%	72%	73%	70%
Sample Community	73%	74%	72%	73%	71%

If a kid drank some beer, wine, or hard liquor in your community would he or she be caught by the police?  
*(Results: "NO!" and "no")*

# HYS Measures of Perception of Risk of Harm

## Regular Alcohol Drinking Isn't Risky


### Grade 8



	2012	2014	2016	2018	2021
State	27%	22%	25%	26%	20%
SDLU	30%	27%	27%	29%	23%
Sample Community	33%	27%	29%	28%	24%

How much do you think people risk harming themselves if they take one or two drinks of an alcoholic beverage nearly every day?  
*(Results: "No risk" and "Slight risk")*

### Grade 10




	2012	2014	2016	2018	2021
State	24%	21%	23%	25%	18%
SDLU	28%	27%	25%	27%	20%
Sample Community	28%	28%	27%	28%	22%

How much do you think people risk harming themselves if they take one or two drinks of an alcoholic beverage nearly every day?  
*(Results: "No risk" and "Slight risk")*

## Regular Marijuana Use Isn't Risky


### Grade 8



	2012	2014	2016	2018	2021
State	22%	23%	24%	26%	22%
SDLU	24%	28%	27%	31%	26%
Sample Community	25%	29%	30%	34%	29%

How much do you think people risk harming themselves if they use marijuana regularly?  
(Results: "No risk" and "Slight risk")

### Grade 10




	2012	2014	2016	2018	2021
State	30%	35%	34%	36%	30%
SDLU	32%	38%	36%	37%	34%
Sample Community	33%	40%	39%	40%	38%

How much do you think people risk harming themselves if they use marijuana regularly?  
(Results: "No risk" and "Slight risk")

## HYS Measures of Community Norms

### Youth Don't Think Drinking is Wrong


#### Grade 8



	2012	2014	2016	2018	2021
State	17%	13%	14%	16%	16%
SDLU	19%	17%	15%	19%	19%
Sample Community	21%	17%	17%	20%	21%

How wrong do you think it is for someone your age to: Drink beer, wine, or hard liquor regularly?  
*(Results: "A little bit wrong" and "Not at all wrong")*

#### Grade 10




	2012	2014	2016	2018	2021
State	28%	28%	28%	27%	32%
SDLU	32%	32%	29%	29%	32%
Sample Community	33%	33%	29%	30%	34%

How wrong do you think it is for someone your age to: Drink beer, wine, or hard liquor regularly?  
*(Results: "A little bit wrong" and "Not at all wrong")*

## Friends Drink Alcohol


### Grade 8



	2012	2014	2016	2018	2021
State	33%	25%	25%	30%	21%
SDLU	37%	33%	28%	34%	25%
Sample Community	39%	32%	32%	36%	27%

How many of your best friends have: Tried beer, wine, or hard liquor when their parents didn't know about it?  
(Results: Any friends)

### Grade 10




	2012	2014	2016	2018	2021
State	53%	49%	45%	49%	35%
SDLU	58%	53%	47%	50%	37%
Sample Community	59%	55%	48%	52%	39%

How many of your best friends have: Tried beer, wine, or hard liquor when their parents didn't know about it?  
(Results: Any friends)

## Community Doesn't Think Drinking is Wrong


### Grade 8



	2012	2014	2016	2018	2021
State	15%	12%	12%	13%	
SDLU	16%	15%	14%	15%	
Sample Community	18%	16%	16%	16%	

How wrong would most adults in your neighborhood or community think it is for kids your age to drink alcohol?  
*(Results: "A little bit wrong" and "Not at all wrong")*

### Grade 10




	2012	2014	2016	2018	2021
State	21%	20%	20%	20%	
SDLU	24%	24%	21%	21%	
Sample Community	26%	26%	23%	23%	

How wrong would most adults in your neighborhood or community think it is for kids your age to drink alcohol?  
*(Results: "A little bit wrong" and "Not at all wrong")*

## Youth Don't Think Marijuana Use Is Wrong

### Grade 8




	2012	2014	2016	2018	2021
State	18%	18%	17%	19%	14%
SDLU	20%	22%	18%	22%	16%
Sample Community	21%	23%	20%	24%	18%

How wrong do you think it is for someone your age to use marijuana?

*(Results: "A little bit wrong" and "Not at all wrong")*

### Grade 10




	2012	2014	2016	2018	2021
State	32%	39%	34%	35%	29%
SDLU	34%	39%	34%	36%	30%
Sample Community	35%	41%	35%	37%	34%

How wrong do you think it is for someone your age to use marijuana?

*(Results: "A little bit wrong" and "Not at all wrong")*

## Friends Use Marijuana


### Grade 8



	2012	2014	2016	2018	2021
State	28%	22%	22%	27%	18%
SDLU	30%	30%	25%	31%	21%
Sample Community	33%	31%	29%	34%	24%

How many of your best friends have used marijuana?  
(Results: Any friends)

### Grade 10




	2012	2014	2016	2018	2021
State	46%	45%	42%	48%	32%
SDLU	49%	49%	43%	49%	34%
Sample Community	51%	51%	45%	51%	37%

How many of your best friends have used marijuana?  
(Results: Any friends)

## Community Doesn't Think Marijuana Use is Wrong


### Grade 8



	2012	2014	2016	2018	2021
State	11%	13%	14%	12%	
SDLU	13%	16%	15%	14%	
Sample Community	16%	18%	19%	16%	

How wrong would most adults in your neighborhood or community think it is for kids your age to use marijuana?  
*(Results: "A little bit wrong" and "Not at all wrong")*

### Grade 10



	2012	2014	2016	2018	2021
State	17%	20%	19%	19%	
SDLU	20%	24%	23%	22%	
Sample Community	21%	26%	26%	24%	

How wrong would most adults in your neighborhood or community think it is for kids your age to use marijuana?  
*(Results: "A little bit wrong" and "Not at all wrong")*

2021 Community Risk and Protective Factors

GRADE 8



Percent Students at Risk

Laws and Norms Favorable to Drug Use

This item was removed from the HYS as of 2021

Perceived Availability of Drugs

14%

16%

16%

Percent Students Protected

Community Opportunities for Prosocial Involvement

59%

54%

58%

0% 20% 40% 60% 80% 100%

GRADE 10

Percent Students at Risk

Laws and Norms Favorable to Drug Use

This item was removed from the HYS as of 2021

Perceived Availability of Drugs

13%

15%

18%

Percent Students Protected

Community Opportunities for Prosocial Involvement

60%

56%

59%

0% 20% 40% 60% 80% 100%


## Community Risk Factors

### Laws and Norms Favorable to Drug Use

SCALE QUESTIONS (3 of the 6 items in this scale were removed from 2021 HYS)


- How wrong would most adults in your neighborhood or community think it was for kids your age to: 1) Use marijuana? 2) Drink alcohol? 3) Smoke cigarettes?
- If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or gin) in your community would he or she be caught by the police?
- If a kid carried a handgun in your community would he or she be caught by the police?
- If a kid smoked marijuana in your community would he or she be caught by the police?

#### Grade 8



	2012	2014	2016	2018	2021
State	27%	25%	24%	25%	
SDLU	31%	29%	27%	28%	
Sample Community	33%	31%	30%	30%	

#### Grade 10




	2012	2014	2016	2018	2021
State	31%	32%	28%	30%	
SDLU	36%	36%	32%	31%	
Sample Community	37%	38%	36%	34%	

## Perceived Availability of Drugs

### SCALE QUESTIONS


- If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or gin), how easy would it be for you to get some?
- If you wanted to get some cigarettes, how easy would it be for you to get some?
- If you wanted to get some marijuana, how easy would it be for you to get some?
- If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

### Grade 8



	2012	2014	2016	2018	2021
State	24%	19%	17%	19%	14%
SDLU	26%	23%	20%	21%	16%
Sample Community	28%	24%	23%	23%	18%

### Grade 10



	2012	2014	2016	2018	2021
State	28%	26%	23%	22%	13%
SDLU	32%	29%	25%	25%	14%
Sample Community	33%	31%	28%	28%	18%


## Community Protective Factor *(Percent Protected)*

### Community Opportunities for Prosocial Involvement

#### SCALE QUESTIONS


- There are adults in my neighborhood or community I could talk to about something important.
- Which of the following activities for people your age are available in your community? 1) Sports teams and recreation, 2) Scouts, Camp Fire, 4-H Clubs, or other service clubs, 3) Boys and Girls Club, YMCA, or other activity clubs.

#### Grade 8





	2012	2014	2016	2018	2021
State	74%	75%	73%	72%	59%
SDLU	72%	72%	71%	71%	55%
Sample Community	71%	72%	70%	71%	54%

#### Grade 10



	2012	2014	2016	2018	2021
State	75%	75%	76%	71%	60%
SDLU	73%	74%	74%	72%	55%
Sample Community	75%	74%	74%	73%	55%

## 2021 Family Risk and Protective Factors




## Family Risk Factors

### Poor Family Management

#### SCALE QUESTIONS


- My parents ask if I've gotten my homework done.
- Would your parents know if you did not come home on time?
- When I am not at home, one of my parents knows where I am and who I am with.
- The rules in my family are clear.
- My family has clear rules about alcohol and drug use.
- If you drank some beer, wine, or liquor without your parent's permission, would you be caught by them?
- If you carried a handgun without your parent's permission, would you be caught by them?
- If you skipped school, would you be caught by your parents?

#### Grade 8



	2012	2014	2016	2018	2021
State	33%	31%	33%	35%	33%
SDLU	34%	35%	35%	37%	36%
Sample Community	35%	36%	36%	37%	38%

#### Grade 10




	2012	2014	2016	2018	2021
State	32%	33%	32%	34%	24%
SDLU	35%	35%	35%	34%	27%
Sample Community	36%	37%	37%	37%	30%

## Parental Attitudes Tolerant of Substance Use

### SCALE QUESTIONS


- How wrong do you parents feel it would be for you to drink beer, wine, or hard liquor regularly (at least once or twice a month)?
- How wrong do your parents feel it would be for you to smoke cigarettes?
- How wrong do your parents feel it would be for you to smoke marijuana?

### Grade 8



	2012	2014	2016	2018	2021
State	26%	25%	26%	27%	34%
SDLU	27%	29%	28%	30%	35%
Sample Community	30%	30%	31%	33%	37%

### Grade 10



	2012	2014	2016	2018	2021
State	37%	41%	38%	39%	43%
SDLU	40%	42%	40%	41%	43%
Sample Community	41%	43%	41%	43%	47%


## Family Protective Factors *(Percent Protected)*

### Family Opportunities for Prosocial Involvement

#### SCALE QUESTIONS


- If I had a personal problem, I could ask my mom or dad for help.
- My parents give me lots of chances to do fun things with them.
- My parents ask me what I think before most family decisions affecting me are made.

#### Grade 8



	2012	2014	2016	2018	2021
State	65%	67%	66%	64%	64%
SDLU	64%	63%	64%	61%	61%
Sample Community	63%	63%	62%	61%	58%

#### Grade 10




	2012	2014	2016	2018	2021
State	59%	58%	59%	53%	61%
SDLU	55%	55%	57%	55%	58%
Sample Community	55%	54%	56%	54%	58%

## Family Rewards for Prosocial Involvement

SCALE QUESTIONS *(Removed from the HYS as of 2014)*


- My parents notice when I am doing a good job and let me know about it.
- How often do your parents tell you they're proud of you for something you've done?
- Do you enjoy spending time with your mother?
- Do you enjoy spending time with your father?

### Grade 8




	2012	2014	2016	2018	2021
State	61%				
SDLU	60%				
Sample Community	59%				

### Grade 10




	2012	2014	2016	2018	2021
State	55%				
SDLU	51%				
Sample Community	51%				

## 2021 School Risk and Protective Factors



## GRADE 10




## School Risk Factors

### Academic Failure

#### SCALE QUESTIONS


- Putting them all together, what were your grades like last year?
- Are your school grades better than the grades of most students in your class?

### Grade 8



	2012	2014	2016	2018	2021
State	45%	44%	46%	45%	48%
SDLU	47%	47%	47%	47%	52%
Sample Community	49%	50%	48%	48%	53%

### Grade 10




	2012	2014	2016	2018	2021
State	45%	46%	47%	48%	48%
SDLU	48%	49%	49%	48%	51%
Sample Community	48%	51%	50%	50%	54%

## Low Commitment to School

### SCALE QUESTIONS


- How often do you feel the schoolwork you are assigned is meaningful and important?
- How interesting are most of your courses to you?
- How important do you think the things you are learning in school are going to be for you later in life?
- Enjoy being in school?
- Dislike being in school?
- Try to do your best work in school?
- During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or “cut”?

### Grade 8



	2012	2014	2016	2018	2021
State	32%	33%	36%	43%	58%
SDLU	34%	36%	38%	44%	58%
Sample Community	35%	36%	40%	45%	62%

### Grade 10



	2012	2014	2016	2018	2021
State	33%	38%	39%	44%	57%
SDLU	36%	41%	42%	46%	58%
Sample Community	36%	43%	44%	47%	61%


## School Protective Factors *(Percent Protected)*

### School Opportunities for Prosocial Involvement

#### SCALE QUESTIONS


- In my school, students have lots of chances to help decide things like class activities and rules.
- There are lots of chances for students in my school to talk with a teacher one-on-one.
- Teachers ask me to work on special classroom projects.
- There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.
- I have lots of chances to be part of class discussions or activities.

#### Grade 8



	2012	2014	2016	2018	2021
State	66%	69%	69%	67%	71%
SDLU	63%	67%	67%	66%	69%
Sample Community	61%	67%	66%	63%	67%

#### Grade 10




	2012	2014	2016	2018	2021
State	67%	65%	67%	64%	70%
SDLU	62%	62%	65%	63%	68%
Sample Community	61%	61%	64%	61%	65%

## School Rewards for Prosocial Involvement

### SCALE QUESTIONS


- My teacher(s) notices when I am doing a good job and lets me know about it.
- The school lets my parents know when I have done something well
- I feel safe at my school.
- My teachers praise me when I work hard in school.

### Grade 8



	2012	2014	2016	2018	2021
State	53%	54%	53%	49%	57%
SDLU	51%	52%	52%	47%	55%
Sample Community	50%	53%	50%	46%	52%

### Grade 10




	2012	2014	2016	2018	2021
State	60%	57%	58%	53%	63%
SDLU	58%	56%	57%	53%	61%
Sample Community	58%	54%	55%	49%	57%

## 2021 Peer-Individual Risk and Protective Factors

### GRADE 8



#### Percent Students at Risk



#### Percent Students Protected


Social Skills This item was removed from the HYS as of 2021

Belief in the Moral Order This item was removed from the HYS as of 2018

Interaction with Prosocial peers This item was removed from the HYS as of 2018

### GRADE 10

#### Percent Students at Risk



#### Percent Students Protected

Social Skills This item was removed from the HYS as of 2021

Belief in the Moral Order This item was removed from the HYS as of 2018

Interaction with Prosocial peers This item was removed from the HYS as of 2018

## Peer-Individual Risk Factors


### Early Initiation of Drugs

#### SCALE QUESTIONS

• How old were you the first time you:


- 1) Smoked a cigarette, even just a puff?
- 2) Had more than a sip or two of beer, wine, or hard liquor (for example, vodka, whiskey, or gin)?
- 3) Began drinking alcoholic beverages regularly, that is, at least once or twice a month?

### Grade 8



	2012	2014	2016	2018	2021
State	19%	15%	15%	16%	17%
SDLU	22%	20%	17%	19%	20%
Sample Community	23%	21%	19%	22%	22%

### Grade 10




	2012	2014	2016	2018	2021
State	22%	21%	19%	18%	14%
SDLU	26%	25%	22%	21%	16%
Sample Community	27%	27%	25%	23%	20%

## Favorable Attitudes Toward Drug Use

### SCALE QUESTIONS


- How wrong do YOU think it is for someone your age to:
  - 1) Drink beer, wine, or hard liquor (for example, vodka, whiskey, or gin) regularly?
  - 2) Smoke cigarettes?
  - 3) Smoke marijuana?
  - 4) Use LSD, cocaine, amphetamines, or another illegal drug?

### Grade 8



	2012	2014	2016	2018	2021
State	28%	27%	27%	30%	28%
SDLU	31%	32%	29%	33%	31%
Sample Community	33%	32%	31%	34%	35%

### Grade 10




	2012	2014	2016	2018	2021
State	37%	41%	39%	39%	39%
SDLU	39%	43%	40%	40%	39%
Sample Community	40%	45%	41%	41%	42%

## Perceived Risks of Use

### SCALE QUESTIONS


- How much do you think people risk harming themselves if they:
  - 1) Smoke one or more packs of cigarettes per day?
  - 2) Try marijuana once or twice?
  - 3) Smoke marijuana regularly (at least once or twice a week)?
  - 4) Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?

### Grade 8



	2012	2014	2016	2018	2021
State	39%	38%	42%	46%	44%
SDLU	42%	46%	46%	50%	48%
Sample Community	44%	48%	49%	53%	52%

### Grade 10




	2012	2014	2016	2018	2021
State	38%	41%	41%	44%	38%
SDLU	42%	46%	44%	46%	41%
Sample Community	43%	49%	47%	50%	47%

## Friends' Use of Drugs

### SCALE QUESTIONS


- Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have:
  - 1) Smoked cigarettes?
  - 2) Tried beer, wine, or hard liquor (for example, vodka, whiskey, or gin) when their parents didn't know about it?
  - 3) Used marijuana?
  - 4) Used LSD, cocaine, amphetamines, or other illegal drugs?

### Grade 8



	2012	2014	2016	2018	2021
State	23%	17%	16%	20%	12%
SDLU	26%	23%	19%	24%	16%
Sample Community	29%	25%	21%	26%	17%

### Grade 10



	2012	2014	2016	2018	2021
State	25%	23%	19%	22%	14%
SDLU	29%	25%	20%	23%	15%
Sample Community	30%	28%	22%	26%	19%


## Peer-Individual Protective Factors (Percent Protected)

### Social Skills

SCALE QUESTIONS (Removed from HYS as of 2021)


- You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. What would you do now?
- You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps into you and you almost lose your balance. What would you say or do?
- You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?

### Grade 8



	2012	2014	2016	2018	2021
State	66%	72%	71%	67%	
SDLU	63%	67%	68%	65%	
Sample Community	63%	66%	66%	62%	

### Grade 10




	2012	2014	2016	2018	2021
State	59%	61%	62%	60%	
SDLU	56%	58%	60%	59%	
Sample Community	54%	57%	59%	58%	

## Belief in the Moral Order

SCALE QUESTIONS (Removed from HYS as of 2018)


- I think it is okay to take something without asking as long as you get away with it.
- I think sometimes it's okay to cheat at school.
- It is all right to beat up people if they start the fight.
- It is important to be honest with your parents, even if they become upset or you get punished.

### Grade 8



	2012	2014	2016	2018	2021
State	68%	72%	70%		
SDLU	67%	69%	69%		
Sample Community	66%	68%	67%		

### Grade 10



	2012	2014	2016	2018	2021
State	75%	73%	74%		
SDLU	73%	72%	72%		
Sample Community	74%	70%	70%		


## Interaction with Prosocial Peers

SCALE QUESTIONS (Removed from HYS as of 2018)

• Think about your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have:

- 1) Participated in clubs, organizations or activities at school?
- 2) Made a commitment to stay drug-free?
- 3) Liked school?

### Grade 8



	2012	2014	2016	2018	2021
State	60%	61%	59%		
SDLU	57%	56%	56%		
Sample Community	55%	54%	53%		

### Grade 10



	2012	2014	2016	2018	2021
State	60%	58%	57%		
SDLU	56%	53%	53%		
Sample Community	55%	49%	49%		

## Additional CORE Data

This section includes trend charts and tables for the CORE measures used in the data book (when available). Descriptions of each measure are also provided.

The line charts and tables include CORE district, county, and state results for the twelve most recent years available. If district results are not available, only county and state results are presented. Notice that rates vary from per 100 to 100,000 individual (children, adolescents, students, people).

For more information on these measures, including the number of individuals represented and additional indicators, please visit the Risk Profiles Data on the DSHS’s Research and Data Analysis Division’s website:

<https://www.dshs.wa.gov/ffa/research-and-data-analysis>


### CONSEQUENCES | Behaviors that are known to be associated with substance abuse

#### School Performance

##### Annual (Event) Dropouts (Percent)

The Annual Dropout rate measures the proportion of students enrolled in grades 9-12 who drop out in a single year without completing high school as a percentage of all students in grades 9 through 12. This indicator answers the question "How many high-school students left school without graduating this year?" When districts try new policies or projects to keep students in school the impact of those actions will be more immediately visible in this rate.

*Data permanently unavailable for 2013 and 2014. Data since 2019 are unavailable as of this report's publish date.*




	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Sample Community	6.5	6.4	6.1	5.2	5.2	4.7			4.5	4.5	5.3	5.2
Anywhere County	5.5	5.3	4.8	4.0	4.0	3.7			4.0	3.7	4.7	4.8
State	5.2	5.1	4.5	3.8	3.7	3.5			3.6	3.4	4.4	4.5

SOURCE: Office of Superintendent of Public Instruction, Graduation and Dropout Statistics for Washington.

### On-time Graduation (Percent)

The percent of students who graduate in four years to complete their degree. This indicator answers the question “What percent of freshmen stayed in school and graduated in four years?” The On-Time Graduation rate formula uses dropout rates discussed above; the formula is:  $100 * (1 - \text{grade 9 dropout rate}) * (1 - \text{grade 10 dropout rate}) * (1 - \text{grade 11 dropout rate}) * (1 - \text{grade 12 dropout rate} - \text{grade 12 continuing rate})$ .




	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Sample Community	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
Anywhere County	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
State	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0

SOURCE: Office of Superintendent of Public Instruction, Graduation and Dropout Statistics for Washington.

## Extended Graduation (Percent)

The percent of students who graduate including those students who stay in school and take more than four years to complete their degree.

Districts that have high extended graduation rates may also have poor dropout rates since the students attempting extended graduation are also at highest risk of again dropping out. A large difference in the size of the on-time and extended graduation rates may indicate that a district or school is working hard to keep students in school or to have dropouts return to school and attempt to graduate. The Extended Graduation formula is:  $(\text{the number of on-time and late graduates}) / (\text{the number of on-time graduates divided by the on-time graduation rate})$ .



	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Sample Community	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
Anywhere County	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0
State	1.0	2.0	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0

SOURCE: Office of Superintendent of Public Instruction, Graduation and Dropout Statistics for Washington.


## Youth Delinquency

### Arrests (Age 10-17), Alcohol Violation (Rate per 1,000)

The arrests of adolescents (age 10-17) for alcohol violations, per 1,000 adolescents (age 10-17). Alcohol violations include driving under the influence, liquor law violations, and drunkenness. For children, arrests for liquor law violations are usually arrests for "minor in possession".

1) Not all law enforcement agencies report data to the Uniform Crime Report (UCR). For the rates calculated below, denominators are adjusted by subtracting the population of police agencies that did not report arrests to UCR. In spite of this population adjustment, when the non-reporting police jurisdiction is where much of the crime occurs, the rate will be lower than it would be if that jurisdiction was included.

2) The DUI portion of this measure is likely underestimated, because arrests made by the State Patrol are not included in the local arrest rates.




	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	6.3	4.7	3.9	3.0	2.9	2.8	2.2	1.8	1.8	NR	NR	0.9
Anywhere County	7.8	5.9	5.0	3.5	3.3	3.5	3.8	2.1	2.1	1.9	1.5	1.1
State	5.8	4.8	3.9	2.7	2.4	2.0	1.8	1.5	1.3	1.1	1.0	0.6

SOURCE: Washington Association of Sheriffs and Police Chiefs, Uniform Crime Report (UCR), and National Incident-Based Reporting System (NIBRS).  
 POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

### Arrests (Age 10-17), Drug Law Violation (Rate per 1,000)

The arrests of adolescents (age 10-17) for drug law violations, per 1,000 adolescents (age 10-17). Drug law violations include all crimes involving sale, manufacturing, and possession of drugs. Denominators are adjusted by subtracting the population of police agencies that did not report arrests to UCR. In spite of this population adjustment, when the non-reporting police jurisdiction is where much of the crime occurs, the rate will be lower than it would be if that jurisdiction was included.



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	4.3	5.4	6.1	4.0	4.8	3.9	3.3	3.6	3.2	NR	NR	0.8
Anywhere County	4.2	5.1	6.2	3.7	4.3	3.8	3.0	2.8	2.7	2.4	2.4	0.7
State	4.3	4.8	5.2	3.3	3.2	2.9	2.3	2.3	2.0	1.6	1.6	0.5


SOURCE: Washington Association of Sheriffs and Police Chiefs, Uniform Crime Report (UCR), and National Incident-Based Reporting System (NIBRS).  
 POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

### Arrests (Age 10-14), Alcohol- or Drug-Related (Rate per 1,000)

The arrests of younger adolescents (age 10-14) for alcohol and drug law violations, per 1,000 adolescents (age 10-14). Alcohol violations include all crimes involving driving under the influence, liquor law violations, and drunkenness. For children, arrests for liquor law violations are usually arrests for minor in possession. Drug law violations include all crimes involving sale, manufacturing, and possession of drugs.

1) Denominators are adjusted by subtracting the population of police agencies that did not report arrests to Uniform Crime Report (UCR). In spite of this population adjustment, when the non-reporting police jurisdiction is where much of the crime occurs, the rate will be lower than it would be if that jurisdiction was included.

2) The DUI portion of this measure is likely underestimated, because arrests made by the State Patrol are not attributable to smaller areas. State Patrol arrests are included in the state rates.




	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	3.1	3.7	4.1	2.8	3.2	2.4	2.5	2.3	2.5	NR	NR	0.5
Anywhere County	3.3	3.3	4.2	2.8	3.1	2.6	2.7	1.8	2.1	2.0	1.9	0.6
State	2.4	2.8	2.8	2.0	1.9	1.7	1.6	1.3	1.2	1.0	1.1	0.3

SOURCE: Washington Association of Sheriffs and Police Chiefs, Uniform Crime Report (UCR), and National Incident-Based Reporting System (NIBRS).  
 POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

### Total Arrests (Age 10-17) of Adolescents (Rate per 1,000)

The arrests of adolescents (age 10-17) for any crime, per 1,000 adolescents (age 10-17). Denominators are adjusted by subtracting the population of police agencies that did not report arrests to UCR. In spite of this population adjustment, when the non-reporting police jurisdiction is where much of the crime occurs, the rate will be lower than it would be if that jurisdiction was included.




	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	49.0	45.9	44.3	31.8	37.2	32.3	30.1	26.3	25.0	NR	NR	12.5
Anywhere County	47.2	43.9	43.1	28.5	33.2	30.1	28.6	23.1	22.7	21.5	19.4	11.1
State	41.4	39.4	37.1	26.8	27.7	25.6	23.7	20.3	18.8	16.4	16.7	9.0

SOURCE: Washington Association of Sheriffs and Police Chiefs, Uniform Crime Report (UCR), and National Incident-Based Reporting System (NIBRS).  
 POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

### Weapons Incidents in School (Rate per 1,000)

Data reflects the reported incidents involving guns and other weapons at any grade level per 1,000 students of all grades enrolled in October.

Due to the school closures on March 17th, 2020 to prevent the spread of COVID, 2020 data for this measure is unavailable.



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	3.4	3.7	3.3	3.1	2.6	2.5	UN	2.1	UN	1.6	1.4	0.0
Anywhere County	3.0	3.2	2.7	2.7	2.2	2.0	2.0	1.9	1.9	1.1	1.6	0.0
State	2.9	2.8	2.7	2.6	2.0	1.9	1.8	1.7	1.7	1.2	2.2	0.0


SOURCE: Office of Superintendent of Public Instruction, Information Services, Safe and Drug-free Schools: Report to the Legislature on Weapons in Schools RCW 28A.320.130.

## Mental Health

### Suicide Deaths and Attempts (Age 10-17) (Rate per 100,000)

The adolescents (age 10-17) who died by suicide or were admitted to the hospital for suicide attempts, per 100,000 adolescents (age 10-17). Suicide deaths are based on death certificate information. Suicide attempts are based on hospital admissions, but do not include admissions to federal hospitals.

The coding of intent for injuries and poisonings in hospital admissions data underwent a transition from ICD-9 to ICD-10 codes in the fall of 2015. It has affected the 2015 and 2016 data on suicide attempts reported here. For additional information, see: Christine Stewart, Phillip M. Crawford, and Gregory E. Simon (2017). "Changes in Coding of Suicide Attempts or Self-Harm With Transition From ICD-9 to ICD-10." *Psychiatric Services*, 68(3), p. 215.



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	49.1	52.1	54.4	71.9	64.5	94.2	93.9	136.7	175.5	197.1	187.3	347.4
Anywhere County	41.4	54.3	51.7	57.9	63.2	70.8	87.9	136.9	170.8	187.5	190.6	299.0
State	44.5	51.7	50.6	62.9	67.5	82.8	99.5	154.9	196.0	217.6	227.5	312.7

SOURCE: Department of Health, Office of Hospital and Patient Data Systems, Comprehensive Hospital Abstract Reporting System (CHARS) and Department of Health, Center for Health Statistics Death Certificate Data.

POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.


**INTERVENING VARIABLES | Characteristics that are strongly predictive of underage drinking and substance abuse**

There are two aspects of alcohol availability that are important in determining prevention priorities. First, there is the actual physical availability—places where youth can get alcohol. Second is the perception of availability—the belief that alcohol is, or would be, available to them. Both of these have to change in order for there to be a significant impact on drinking rates.

**Alcohol Availability**

**Alcohol Retail Licenses (Rate per 1,000)**

The alcohol retail licenses active during the year, per 1,000 persons (all ages). Retail licenses include restaurants, grocery stores, and wine shops but do not include state liquor stores and agencies. Retail alcohol facilities on military bases and reservations are not licensed by the state and therefore are not included in these data.



	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	2.0	2.2	2.0	2.1	2.1	2.1	2.1	2.0	2.0	2.0	2.0	2.0
Anywhere County	2.3	2.4	2.3	2.5	2.5	2.5	2.5	2.3	2.3	2.3	2.3	2.3
State	2.0	2.2	2.0	2.2	2.2	2.2	2.2	2.2	2.1	2.1	2.1	2.1

SOURCE: Washington State Liquor Control Board, Annual Operations Report.


POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

## Extreme Economic Deprivation

Economic deprivation is *not in the logic model* because our prevention efforts do not address poverty. Economic deprivation creates conditions in which risk factors become more serious.

### Temporary Assistance to Needy Families (TANF), Child Recipients (Percent)

Data reflects children (age birth-17) participating in Temporary Assistance to Needy Families (TANF) programs per 100 children (age birth-17). For easier comparison this rate is presented as a percent, but is usually seen in CORE reports as a rate per 1,000.




	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
Sample Community	13.3	14.1	15.1	13.2	11.7	10.7	9.1	8.3	7.6	6.7	6.0	6.7
Anywhere County	11.3	11.8	12.6	11.3	10.0	9.1	7.7	7.1	6.6	5.9	5.4	6.0
State	9.7	10.3	11.0	9.6	8.3	7.4	6.2	5.6	5.2	4.6	4.2	4.8

SOURCE: Department of Social and Health Services, Research and Data Analysis, Automated Client Eligibility System and Warrant Roll.  
 POPULATION ESTIMATES: Washington State Office of Financial Management and Washington State Department of Health.

### Students Eligible for Free or Reduced Price Lunch (Percent)

The students eligible for free or reduced price lunch per 100 students enrolled. Children of people who are not eligible for TANF, “working poor”, those who have exceeded 60 months in benefits, are not legal aliens, or are not seeking work can still receive meals and free milk. The free lunch guidelines include all those in households earning 130 percent or less of the federal poverty level while all persons in households earning between 130 and 185 percent of the federal poverty level can receive reduced price lunches.



	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Sample Community	53.2	54.6	56.3	58.2	57.5	57.8	56.8	56.4	55.8	57.5	58.2	60.8
Anywhere County	46.3	47.7	49.0	50.4	50.0	50.7	49.3	49.0	47.8	48.0	48.1	49.6
State	42.2	43.8	45.2	45.9	45.5	45.6	44.5	43.5	42.5	43.2	44.3	45.6

SOURCE: Office of Superintendent of Public Instruction.

## OPIOIDS | Prescriptions filled in 2014 - 2019

The COVID pandemic of 2020-2021 has made the ongoing opioid use epidemic even worse, both nationally and in our state. From 2017 to 2021, fatal overdoses from all controlled substances in Washington increased by 84 percent, from 1,163 to 2,137 deaths. Fatal overdoses from any opioid more than doubled, from 739 to 1,522; this increase has been fueled by fentanyl, which saw the number of overdose deaths increased almost 10 times over this period, from 120 to 1,134. Deaths from prescription opioids (non-fentanyl) declined between 2017 and 2019 by 22 percent; this positive trend was reversed by the pandemic, and deaths increased by 38 percent between 2019 and 2021, reaching 369, which is slightly above the level in 2017<sup>(1)</sup>.

More than 2,000 overdose deaths from all controlled substances per year is the tip of the iceberg. As noted in the 2021-2022 Washington State Opioid and Overdose Response Plan, "The effects of substance, opioid, and stimulant use pose a public health challenge that touches the lives of every Washingtonian." The Plan notes: "The opioid crisis is a widespread problem that impacts individuals and their families, health and social service providers, behavioral health providers, school systems, community service providers (such as transportation and housing providers), and the criminal legal system (such as law enforcement, jails/detention centers, child protective services)"<sup>(2)</sup>. Some Washington communities have been hit harder than others. Knowing where and how much prescription opioids are made available is the first step toward understanding this complex problem.


The measures presented in this section were obtained from the Washington State Prescription Monitoring Program at DOH<sup>(3)</sup>. Tables and charts on pp. 100-109 provide data for your community, your county, and the state. Maps on pp. 98-99 and 110-118 display geographic patterns of opioid prescribing across counties and school districts. This information is meant to support a discussion with your Community Coalition and community partners about prescription opioid use and misuse in your community.

### Questions to consider:

1. How does my community compare to my county and the state?
2. What are the most commonly prescribed opioids in my community?
3. Do men and women obtain these prescribed opioids in a similar way?
4. Do prescriptions filled change with age?
5. What are the changes over time?


Endnotes 1, 2, 3 see "Opioids: Data Notes and Sources", p. 119.

MAP 1. Patients with Prescriptions for Any Opioid per 1,000 Residents by County, 2019




SOURCE: Washington State Department of Health, Prescription Monitoring Program, analytical extract of 12/28/2020. Population estimates: Washington State Office of Financial Management (2020). Small Area Demographic Estimates: School Districts.

MAP 2. Pat ents with Prescript ons for Any Opioid per 1,000 Residents by School District, 2019




MAP 3. Prescript ons for Any Opioid per Pat ent by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts

## Opioid Prescriptions (Any Type) per 1,000 Residents by Sex and Age, 2019



Opioid Prescriptions (Any Type) per 1,000 Residents by Sex and Age, 2019		Sample Community		Anywhere County		Washington State	
		Male	Female	Male	Female	Male	Female
65+	Rate	1,221.3	1,487.6	1,107.0	1,327.7	1,240.1	1,531.3
	Prescriptions	3,234	4,610	19,426	27,923	700,564	1,012,875
	Population	2,648	3,099	17,549	21,031	564,933	661,469
55-64	Rate	1,116.3	1,383.3	950.3	1,137.2	1,134.2	1,383.4
	Prescriptions	2,505	3,190	14,927	18,224	542,612	686,696
	Population	2,244	2,306	15,707	16,026	478,414	496,375
35-54	Rate	634.7	869.2	488.4	671.1	651.5	902.3
	Prescriptions	2,968	3,909	16,957	22,478	631,610	856,134
	Population	4,676	4,497	34,723	33,496	969,475	948,881
25-34	Rate	379.7	489.9	252.4	341.0	399.8	527.7
	Prescriptions	1,081	1,314	5,690	7,122	217,342	273,615
	Population	2,847	2,682	22,548	20,883	543,626	518,470
18-24	Rate	160.0	223.3	133.7	188.1	161.3	230.1
	Prescriptions	286	383	1,560	2,066	56,309	76,666
	Population	1,787	1,715	11,666	10,985	348,995	333,138
0-17	Rate	50.2	55.7	33.1	34.4	32.5	32.8
	Prescriptions	203	216	893	887	27,975	26,919
	Population	4,046	3,877	26,947	25,793	860,715	821,925


## Opioid Prescriptions (Any Type) per Patient by Sex and Age, 2019



Opioid Prescriptions (Any Type) per Patient by Sex and Age, 2019		Age	Sample Community		Anywhere County		Washington State	
			Male	Female	Male	Female	Male	Female
Rate	65+	4.1	4.6	3.9	4.4	4.2	4.8	
Prescriptions		784	1,002	5,022	6,326	165,966	211,110	
Patients		3,234	4,610	19,426	27,923	700,564	1,012,875	
Rate	55-64	4.6	4.9	4.1	4.5	4.6	5.0	
Prescriptions		547	647	3,624	4,091	117,495	137,266	
Patients		2,505	3,190	14,927	18,224	542,612	686,696	
Rate	35-54	3.5	3.6	3.1	3.2	3.7	3.8	
Prescriptions		848	1,079	5,443	7,002	171,803	223,926	
Patients		2,968	3,909	16,957	22,478	631,610	856,134	
Rate	25-34	2.9	2.4	2.4	2.1	3.0	2.6	
Prescriptions		375	543	2,325	3,420	71,380	106,183	
Patients		1,081	1,314	5,690	7,122	217,342	273,615	
Rate	18-24	1.6	1.5	1.5	1.4	1.6	1.5	
Prescriptions		183	256	1,056	1,437	34,810	49,591	
Patients		286	383	1,560	2,066	56,309	76,666	
Rate	0-17	1.1	1.1	1.0	1.2	1.2	1.2	
Prescriptions		184	201	871	758	24,253	22,726	
Patients		203	216	893	887	27,975	26,919	

## Opioid Prescriptions per 1,000 Residents by Frequency, 2019

In 2019, there were 197.1 Oxycodone prescriptions for every 1,000 residents in our community. Substances with suppressed values are sorted alphabetically.



## Opioid Prescriptions per 1,000 Residents, by Substance, Age and Sex, 2019

Age and Sex data are not currently available for the "Other Opiates" category.


SUBSTANCE	SEX	AGE RANGE					
		0-17	18-24	25-34	35-54	55-64	65+
All Opioids	Female	55.7	223.3	489.9	869.2	1,383.3	1,487.6
	Male	50.2	160.0	379.7	634.7	1,116.3	1,221.3
Oxycodone	Female	32.2	72.3	129.8	283.5	445.4	437.6
	Male	30.4	57.6	79.0	197.6	406.9	415.0
Buprenorphine	Female	S	50.1	156.6	147.9	84.1	30.3
	Male	S	49.8	191.8	165.3	84.2	34.7
Tramadol	Female	S	28.0	42.9	105.0	162.2	229.8
	Male	S	15.7	23.9	64.4	108.7	150.7
Methadone	Female	S	7.6	7.5	30.7	38.6	32.9
	Male	S	S	9.1	22.5	41.4	35.1
Hydrocodone	Female	S	S	S	S	S	S
	Male	S	S	S	S	S	S
Morphine	Female	S	S	S	S	S	S
	Male	S	S	S	S	S	S

*A note about suppression: Rates can not be calculated when any of the component parts are suppressed due to small numbers. If the count of residents by sex and age range or the number of prescriptions is suppressed, an "S" will be displayed. The "S" on the table above indicates that at least 1 resident received at least one opioid prescription.*

## Opioid Prescriptions Per Patient by Frequency, 2019

In 2019, the average patient receiving Buprenorphine was issued 8.8 prescriptions.

Substances with suppressed values are sorted alphabetically.




## Opioid Prescriptions per Patient, by Substance, Age and Sex, 2019

Age and Sex data are not currently available for the "Other Opiates" category.

SUBSTANCE	SEX	AGE RANGE					
		0-17	18-24	25-34	35-54	55-64	65+
All Opioids	Female	1.1	1.5	2.4	3.6	4.9	4.6
	Male	1.1	1.6	2.9	3.5	4.6	4.1
Buprenorphine	Female	S	3.9	6.2	6.5	6.3	3.6
	Male	S	3.2	6.7	5.9	5.7	3.5
Methadone	Female	S	S	S	3.1	3.9	3.6
	Male	S	S	S	3.1	4.0	3.4
Tramadol	Female	S	1.1	1.6	2.7	3.4	3.4
	Male	S	1.2	1.5	2.4	3.1	3.2
Oxycodone	Female	1.0	1.2	1.6	2.8	4.0	3.8
	Male	1.1	1.2	1.7	2.7	3.9	3.6
Hydrocodone	Female	S	S	S	S	S	S
	Male	S	S	S	S	S	S
Morphine	Female	S	S	S	S	S	S
	Male	S	S	S	S	S	S


*A note about suppression: Rates can not be calculated when any of the component parts are suppressed due to small numbers. If the count of patients by sex and age range or the number of prescriptions is suppressed, an "S" will be displayed. The "S" on the table above indicates that at least 1 patient received at least one opioid prescription.*

## Annual Trend, All Opioid Prescriptions per 1,000 Residents, 2014 through 2019



GEOGRAPHY	UNIT	YEAR					
		2014	2015	2016	2017	2018	2019
<b>Sample Community</b>	Rate	871.8	894.9	851.3	762.4	699.7	645.1
	Prescriptions	29,145	30,338	29,389	26,831	25,053	23,495
	Population	33,432	33,902	34,523	35,193	35,805	36,419
<b>Anywhere County</b>	Rate	768.3	770.0	724.8	645.0	586.7	536.0
	Prescriptions	180,992	184,168	177,230	160,896	148,667	137,927
	Population	235,578	239,180	244,528	249,437	253,377	257,349
<b>Washington State</b>	Rate	912.6	931.9	888.2	799.3	734.6	677.1
	Prescriptions	6,358,149	6,579,027	6,379,165	5,843,066	5,456,130	5,109,317
	Population	6,966,761	7,059,985	7,182,260	7,310,300	7,427,570	7,546,411

## Annual Trend, All Opioid Prescriptions per Patient, 2014 through 2019



GEOGRAPHY	UNIT	YEAR					
		2014	2015	2016	2017	2018	2019
<b>Sample Community</b>	Rate	3.6	3.7	3.6	3.6	3.7	3.7
	Prescriptions	29,145	30,338	29,389	26,831	25,053	23,495
	Population	8,106	8,291	8,099	7,464	6,845	6,341
<b>Anywhere County</b>	Rate	3.4	3.4	3.3	3.3	3.3	3.4
	Prescriptions	180,992	184,168	177,230	160,896	148,667	137,927
	Population	53,173	54,348	52,954	48,602	44,486	41,097
<b>Washington State</b>	Rate	3.6	3.7	3.6	3.6	3.8	3.8
	Prescriptions	6,358,149	6,579,027	6,379,165	5,843,066	5,456,130	5,109,317
	Population	1,750,782	1,793,750	1,757,320	1,622,161	1,444,167	1,336,509

## 2019 Population by Geography, Age and Sex

MEASURE	GEOGRAPHY	SEX	AGE 0-17	18-24	25-34	35-54	55-64	65+	ALL AGES
Total Population	Our Community	Female	3877	1715	2682	4497	2306	3099	18176
		Male	4046	1787	2847	4676	2244	2648	18248
	Our County	Female	25793	10985	20883	33496	16026	21031	128214
		Male	26947	11666	22548	34723	15707	17549	129140
	Washington State	Female	821925	333138	518470	948881	496375	661469	3780258
		Male	860715	348995	543626	969475	478414	564933	3766158

## 2019 Rate of Prescriptions per 1,000 Residents ((Prescriptions/Population)\*1,000) by Geography, Age and Sex

SUBSTANCE	GEOGRAPHY	SEX	AGE 0-17	18-24	25-34	35-54	55-64	65+	ALL AGES
All Controlled Substances	Our Community	Female	251.5	559.2	1116.7	1827.7	2431.0	2374.3	1436.6
		Male	465.2	476.2	861.6	1299.0	1876.6	1919.6	1126.4
	Our County	Female	203.9	556.9	917.6	1511.9	2125.8	2173.6	1255.4
		Male	401.5	485.2	722.1	1118.5	1697.0	1804.7	1006.1
	Washington State	Female	216.9	568.3	1137.4	1847.3	2451.5	2428.5	1463.8
		Male	443.0	483.4	880.6	1300.0	1895.1	1942.6	1139.9
All Opioids	Our Community	Female	55.7	223.3	489.9	869.2	1383.3	1487.6	749.4
		Male	50.2	160.0	379.7	634.7	1116.3	1221.3	563.2
	Our County	Female	34.4	188.1	341.0	671.1	1137.2	1327.7	613.8
		Male	33.1	133.7	252.4	488.4	950.3	1107.0	460.4
	Washington State	Female	32.8	230.1	527.7	902.3	1383.4	1531.3	775.8
		Male	32.5	161.3	399.8	651.5	1134.2	1240.1	577.9
Oxycodone	Our Community	Female	32.2	72.3	129.8	283.5	445.4	437.6	234.1
		Male	30.4	57.6	79.0	197.6	406.9	415.0	185.6
	Our County	Female	19.9	55.2	100.2	219.1	382.8	407.4	197.0
		Male	22.2	44.5	54.0	155.3	363.0	390.1	157.0
	Washington State	Female	12.6	60.5	132.0	272.6	436.6	437.7	228.5
		Male	14.5	39.2	69.0	191.6	403.5	405.9	178.4
Buprenorphine	Our Community	Female	S	50.1	156.6	147.9	84.1	30.3	S
		Male	S	49.8	191.8	165.3	84.2	34.7	S
	Our County	Female	S	20.0	67.7	81.0	49.0	19.1	S
		Male	S	23.9	96.2	89.4	58.0	29.6	S
	Washington State	Female	S	31.7	156.1	118.7	67.3	22.6	S
		Male	S	34.5	189.7	135.8	69.4	24.3	S
Tramadol	Our Community	Female	S	28.0	42.9	105.0	162.2	229.8	S
		Male	S	15.7	23.9	64.4	108.7	150.7	S
	Our County	Female	S	15.6	26.2	64.1	121.7	205.9	S
		Male	S	8.1	11.4	36.9	80.9	127.1	S
	Washington State	Female	0.8	15.5	39.0	92.4	153.9	228.3	90.2
		Male	0.5	5.9	17.2	51.2	102.1	144.8	51.0
Methadone	Our Community	Female	S	7.6	7.5	30.7	38.6	32.9	S
		Male	S	S	9.1	22.5	41.4	35.1	S
	Our County	Female	S	S	2.7	14.4	26.7	19.5	S
		Male	S	1.8	4.4	12.2	28.1	24.7	S
	Washington State	Female	0.1	0.2	1.7	14.4	31.3	23.7	12.1
		Male	0.1	0.2	1.5	11.9	33.0	27.5	11.6
Hydrocodone	Our Community	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Our County	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Washington State	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
Morphine	Our Community	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Our County	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Washington State	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S

The difference between "All Opioids" and the sum of each of the opioids listed would be considered "Other Opioids." Due to suppression of values in the source data, an accurate 2019 value for "Other Opioids" can not be calculated for display within this table.

## 2019 Prescriptions by Geography, Age and Sex

SUBSTANCE	GEOGRAPHY	SEX	AGE	0-17	18-24	25-34	35-54	55-64	65+	ALL AGES
All Controlled Substances	Our Community	Female		975	959	2,995	8,219	5,606	7,358	26,112
		Male		1,882	851	2,453	6,074	4,211	5,083	20,554
	Our County	Female		5,260	6,117	19,163	50,643	34,068	45,713	160,964
		Male		10,820	5,660	16,283	38,838	26,655	31,671	129,927
	Washington State	Female		178,274	189,332	589,689	1,752,825	1,216,852	1,606,388	5,533,360
		Male		381,272	168,713	478,712	1,260,293	906,651	1,097,448	4,293,089
All Opioids	Our Community	Female		216	383	1,314	3,909	3,190	4,610	13,622
		Male		203	286	1,081	2,968	2,505	3,234	10,277
	Our County	Female		887	2,066	7,122	22,478	18,224	27,923	78,700
		Male		893	1,560	5,690	16,957	14,927	19,426	59,453
	Washington State	Female		26,919	76,666	273,615	856,134	686,696	1,012,875	2,932,905
		Male		27,975	56,309	217,342	631,610	542,612	700,564	2,176,412
Oxycodone	Our Community	Female		125	124	348	1,275	1,027	1,356	4,255
		Male		123	103	225	924	913	1,099	3,387
	Our County	Female		513	606	2,092	7,339	6,135	8,567	25,252
		Male		599	519	1,218	5,391	5,701	6,846	20,274
	Washington State	Female		10,324	20,164	68,425	258,644	216,693	289,500	863,750
		Male		12,499	13,683	37,513	185,792	193,032	229,313	671,832
Buprenorphine	Our Community	Female		<10	86	420	665	194	94	Suppressed
		Male		<10	89	546	773	189	92	Suppressed
	Our County	Female		<10	220	1,413	2,712	786	401	Suppressed
		Male		<10	279	2,170	3,105	911	519	Suppressed
	Washington State	Female		69-79	10,574	80,921	112,636	33,414	14,923	Suppressed
		Male		51-61	12,051	103,114	131,673	33,191	13,742	Suppressed
Tramadol	Our Community	Female		<10	48	115	472	374	712	Suppressed
		Male		<10	28	68	301	244	399	Suppressed
	Our County	Female		<10	171	548	2,148	1,950	4,330	Suppressed
		Male		<10	95	258	1,283	1,270	2,231	Suppressed
	Washington State	Female		627	5,175	20,198	87,672	76,403	151,029	341,104
		Male		437	2,055	9,368	49,663	48,844	81,811	192,178
Methadone	Our Community	Female		<10	<10	20	138	89	102	Suppressed
		Male		<10	<10	26	105	93	93	Suppressed
	Our County	Female		<10	<10	56	481	428	411	Suppressed
		Male		<10	21	99	424	441	433	Suppressed
	Washington State	Female		64	80	856	13,690	15,530	15,680	45,900
		Male		81	61	830	11,575	15,766	15,556	43,869
Hydrocodone	Our Community	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed
	Our County	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed
	Washington State	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed
Morphine	Our Community	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed
	Our County	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed
	Washington State	Female		<10	<10	<10	<10	<10	<10	Suppressed
		Male		<10	<10	<10	<10	<10	<10	Suppressed

The difference between "All Opioids" and the sum of each of the opioids listed would be considered "Other Opioids." Due to suppression of values in the source data, an accurate 2019 value for "Other Opioids" can not be calculated for display within this table.

## 2019 Rate of Prescriptions per Patient (Prescriptions/Patients) by Geography, Age and Sex


SUBSTANCE	GEOGRAPHY	SEX	AGE 0-17	18-24	25-34	35-54	55-64	65+	ALL AGES
All Controlled Substances	Our Community	Female	3.02	2.73	3.86	5.28	6.33	5.78	5.06
		Male	4.52	3.19	4.41	5.06	5.90	5.22	4.98
	Our County	Female	3.70	2.96	3.81	4.96	5.98	5.59	4.94
		Male	5.32	3.41	4.49	4.88	5.55	5.03	4.93
	Washington State	Female	3.96	2.79	4.02	5.57	6.57	5.99	5.38
		Male	5.45	3.27	4.65	5.28	6.00	5.37	5.24
All Opioids	Our Community	Female	1.07	1.50	2.42	3.62	4.93	4.60	3.65
		Male	1.10	1.56	2.88	3.50	4.58	4.13	3.52
	Our County	Female	1.17	1.44	2.08	3.21	4.45	4.41	3.42
		Male	1.03	1.48	2.45	3.12	4.12	3.87	3.24
	Washington State	Female	1.18	1.55	2.58	3.82	5.00	4.80	3.91
		Male	1.15	1.62	3.04	3.68	4.62	4.22	3.72
Oxycodone	Our Community	Female	1.04	1.17	1.63	2.83	4.04	3.78	2.83
		Male	1.09	1.23	1.69	2.72	3.89	3.58	2.79
	Our County	Female	0.98	1.24	1.61	2.74	3.89	3.80	2.86
		Male	1.10	1.27	1.70	2.75	3.72	3.44	2.83
	Washington State	Female	1.15	1.28	1.74	3.10	4.28	4.06	3.21
		Male	1.12	1.31	1.88	3.11	4.04	3.66	3.17
Buprenorphine	Our Community	Female	S	3.91	6.18	6.52	6.26	3.62	S
		Male	S	3.18	6.66	5.90	5.73	3.54	S
	Our County	Female	S	5.00	8.62	9.38	7.56	4.72	S
		Male	S	3.58	8.82	8.09	6.60	7.86	S
	Washington State	Female	S	7.28	10.23	11.12	10.58	7.98	S
		Male	S	6.90	9.69	10.63	10.18	8.59	S
Tramadol	Our Community	Female	S	1.12	1.58	2.73	3.43	3.42	S
		Male	S	1.17	1.48	2.43	3.05	3.22	S
	Our County	Female	S	0.86	1.75	2.82	3.39	3.44	S
		Male	S	1.00	1.55	2.62	3.16	3.10	S
	Washington State	Female	1.23	1.26	2.02	3.16	3.64	3.54	3.22
		Male	1.25	1.27	1.88	2.92	3.51	3.34	3.08
Methadone	Our Community	Female	S	S	S	3.07	3.87	3.64	S
		Male	S	S	S	3.09	4.04	3.44	S
	Our County	Female	S	S	2.24	3.10	5.86	5.55	S
		Male	S	S	4.71	3.29	7.00	6.10	S
	Washington State	Female	S	5.71	8.23	10.39	10.26	7.96	S
		Male	S	4.69	8.22	9.87	10.43	8.21	S
Hydrocodone	Our Community	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Our County	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Washington State	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
Morphine	Our Community	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Our County	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S
	Washington State	Female	S	S	S	S	S	S	S
		Male	S	S	S	S	S	S	S

## 2019 Patients Receiving Prescriptions by Geography, Age and Sex


People who received prescriptions for more than one substance may be duplicated.

SUBSTANCE	GEOGRAPHY	SEX	AGE	0-17	18-24	25-34	35-54	55-64	65+	ALL AGES
All Controlled Substances	Our Community	Female		323	351	776	1,556	885	1,274	5,165
		Male		416	267	556	1,200	714	974	4,127
	Our County	Female		1,420	2,070	5,025	10,202	5,695	8,176	32,588
		Male		2,032	1,660	3,623	7,953	4,801	6,300	26,369
	Washington State	Female		45,045	67,971	146,603	314,693	185,276	268,291	1,027,879
		Male		69,903	51,589	103,046	238,651	151,120	204,423	818,732
All Opioids	Our Community	Female		201	256	543	1,079	647	1,002	3,728
		Male		184	183	375	848	547	784	2,921
	Our County	Female		758	1,437	3,420	7,002	4,091	6,326	23,034
		Male		871	1,056	2,325	5,443	3,624	5,022	18,341
	Washington State	Female		22,726	49,591	106,183	223,926	137,266	211,110	750,802
		Male		24,253	34,810	71,380	171,803	117,495	165,966	585,707
Oxycodone	Our Community	Female		120	106	214	451	254	359	1,504
		Male		113	84	133	340	235	307	1,212
	Our County	Female		526	487	1,299	2,678	1,576	2,253	8,819
		Male		544	410	718	1,961	1,531	1,992	7,156
	Washington State	Female		8,940	15,778	39,358	83,454	50,592	71,257	269,379
		Male		11,164	10,438	19,958	59,716	47,810	62,718	211,804
Buprenorphine	Our Community	Female		<10	22	68	102	31	26	Suppressed
		Male		<10	28	82	131	33	26	Suppressed
	Our County	Female		<10	44	164	289	104	85	Suppressed
		Male		<10	78	246	384	138	66	Suppressed
	Washington State	Female		11-21	1,452	7,907	10,126	3,159	1,870	Suppressed
		Male		14-24	1,746	10,641	12,383	3,259	1,600	Suppressed
Tramadol	Our Community	Female		<10	43	73	173	109	208	Suppressed
		Male		<10	24	46	124	80	124	Suppressed
	Our County	Female		<10	198	313	762	575	1,258	Suppressed
		Male		<10	95	166	490	402	719	Suppressed
	Washington State	Female		510	4,099	9,997	27,716	20,997	42,678	105,997
		Male		350	1,624	4,986	16,980	13,902	24,526	62,368
Methadone	Our Community	Female		<10	<10	<10	45	23	28	Suppressed
		Male		<10	<10	<10	34	23	27	Suppressed
	Our County	Female		<10	<10	25	155	73	74	Suppressed
		Male		<10	<10	21	129	63	71	Suppressed
	Washington State	Female		S	14	104	1,318	1,514	1,971	Suppressed
		Male		20-30	13	101	1,173	1,511	1,894	Suppressed
Hydrocodone	Our Community	Female		143	148	251	496	303	428	1,769
		Male		136	113	187	429	260	349	1,474
	Our County	Female		592	746	1,517	3,156	1,905	2,620	10,536
		Male		484	574	1,137	2,656	1,708	2,165	8,724
	Washington State	Female		11,954	26,848	48,014	104,894	66,384	93,445	351,539
		Male		11,411	20,111	35,411	86,579	58,146	75,686	287,344
Morphine	Our Community	Female		<10	14	22	66	41	106	Suppressed
		Male		<10	<10	21	60	39	87	Suppressed
	Our County	Female		34	35	91	273	140	519	1,092
		Male		<10	17	72	253	128	400	Suppressed
	Washington State	Female		103	258	800	4,444	5,545	18,498	29,648
		Male		114	181	597	3,372	4,974	14,867	24,105

MAP 4. Pat ents with Prescript ons for Buprenorphine per 1,000 Residents by County, 2019




MAP 5. Pat ents with Prescript ons for Buprenorphine per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 6. Pat ents with Prescript ons for Codeine per 1,000 Residents by County, 2019




MAP 7. Pat ents with Prescript ons for Codeine per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 8. Pat ents with Prescript ons for Fentanyl per 1,000 Residents by County, 2019




MAP 9. Pat ents with Prescript ons for Fentanyl per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 10. Pat ents with Prescript ons for Hydrocodone per 1,000Residents by County, 2019




MAP 11. Pat ents with Prescript ons for Hydrocodone per 1,000Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 12. Pat ents with Prescript ons for Methadone per 1,000 Residents by County, 2019




MAP 13. Pat ents with Prescript ons for Methadone per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts

MAP 14. Pat ents with Prescript ons for Morphine per 1,000 Residents by County, 2019




MAP 15. Pat ents with Prescript ons for Morphine per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analy tical extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts

MAP 16. Pat ents with Prescript ons for Oxycodone per 1,000 Residents by County, 2019




MAP 17. Pat ents with Prescript ons for Oxycodone per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 18. Pat ents with Prescript ons for Tramadol per 1,000 Residents by County, 2019




MAP 19. Pat ents with Prescript ons for Tramadol per 1,000 Residents by School District, 2019




SOURCE: Washington State Department of Health, Prescript on Monitoring Program, analyt cal extract of 12/28/2020. Populat on est mates: Washington State Of ce of Financial Management (2020). Small Area Demographic Est mates: School Districts.

MAP 20. Prescriptions for Other Opioids per 1,000 Residents by County, 2019



MAP 21. Prescriptions for Other Opioids per 1,000 Residents by School District, 2019



SOURCE: Washington State Department of Health, Prescription Monitoring Program, analytical extract of 12/28/2020. Population estimates: Washington State Office of Financial Management (2020). Small Area Demographic Estimates: School Districts.

The critical importance of a better control over the distribution of prescription opioids has been recognized in several Washington State laws (for example, RCW 70.225). In 2018, a comprehensive statewide multi-agency strategy for opioid prevention and intervention, Washington State Opioid Response Plan, was adopted, and the updated plan, 2021-2022 Washington State Opioid and Overdose Response Plan, was released in 2021<sup>(2)</sup>.

The prescription data presented in this section of the Data Book come from the Prescription Monitoring Program (PMP) at the Washington State Department of Health (DOH). The PMP collects dispensing records for controlled substance prescriptions (Schedule II, III, IV, or V), including samples, in Washington State<sup>(3)</sup>.

Not included in PMP are prescriptions: dispensed outside of WA state; prescribed for 24 hours or less; directly administered; given to a patient in the hospital; dispensed from a Department of Corrections pharmacy (unless an offender is released with a prescription); dispensed at an Opioid Treatment Program, and some federally operated pharmacies (Indian Health Services and Veterans Affairs report voluntarily). Wholesale distributors and manufacturers are excluded. Mandatory reporting began on 10/07/2011.

Tramadol was newly classified as a Schedule IV drug in August 2014, and hydrocodone was rescheduled (from III to II) in October 2014. Changes in drug scheduling may result in an increase or decrease in dispensing and may not represent a true change. Corporate changes in pharmacy chains (e.g., around the 1st quarter of 2015) may have also resulted in underreporting.

DOH has found that counts and rates for border counties may be artificially lower because residents had their prescriptions filled in Oregon or Idaho.

Further information on collection and management of PMP data at DOH can be found here:

<https://doh.wa.gov/public-health-healthcare-providers/healthcare-professions-and-facilities/prescription-monitoring-program-pmp/data>.

#### Sources:

(1) Calculated from: Washington State Department of Health, Washington State Drug Overdose, Monthly Updates, 2022-03-01. Table 1.2 Latest Quarterly Death Tables From 2017 To 2021 By Geography, [https://doh.wa.gov/sites/default/files/2022-02/wa\\_lhj\\_quarterly\\_report\\_18\\_1\\_2\\_pub.html](https://doh.wa.gov/sites/default/files/2022-02/wa_lhj_quarterly_report_18_1_2_pub.html), accessed April 19, 2022.

(2) Washington State Opioid and Overdose Response Plan, 2021-2022, <https://www.hca.wa.gov/assets/program/WashingtonStateOpioidandOverdoseResponsePlan-final-2021.pdf>, accessed April 4, 2022.

(3) Washington State Department of Health, Prescription Monitoring Program, <https://doh.wa.gov/public-health-healthcare-providers/healthcare-professions-and-facilities/prescription-monitoring-program-pmp>, accessed April 29, 2022.

Also see: Opioid Overdose Dashboards – Counties; Accountable Communities of Health: Washington State Department of Health, Prescription Monitoring Program Dashboard Documentation, <https://doh.wa.gov/sites/default/files/legacy/Documents/9500/PMP-OpioidDataDocumentation.pdf>, accessed April 29, 2022.

## Community Demographics

The racial/ethnic and age composition below can help prevention planners better understand the community's diversity.


### Race and Ethnicity *(Count, Percent)*

Persons whose race or ethnicity is: (1) "American Native" – American Indian or Alaska Native, one race only; (2) "Asian" – Asian, one race only; (3) "Black" – African American, one race only; (4) "Hawaiian/PI" – Native Hawaiian/Other Pacific Islander, one race only; (5) "White" – White, one race only; (6) "Multi-Racial" – Two or more races; (7) "Hispanic" – Persons whose ethnicity is Hispanic or Latino, of any race; (8) "Any Minority" – Persons of any race or ethnicity except for non-Hispanic White, one race only; calculated as a percentage of all persons. The race categories 1 through 6 may include persons of Hispanic or Latino origin.

#### Cascadia

RACE/ETHNICITY	NUMBER	%
White Non-Hispanic	34,697	82%
Any Minority	7,656	18%
<b>RACE</b>		
American Native	546	1%
Asian	1,711	4%
Black	717	2%
Hawaiian/PI	240	1%
White	37,036	87%
Multi-Racial	2,104	5%
<b>ETHNICITY</b>		
Hispanic	2,818	7%
<b>TOTAL</b>	<b>42,353</b>	<b>100%</b>

NOTE: Percentages of Any Minority and White Non-Hispanic will sum to 100%. Percentages in Race will sum to 100%.




### Age Composition *(Count, Percent)*

Children (ages 0-9, 10-14, 15-17 years), adults (ages 18-24, 25-49, 50-64 years) and seniors (ages 65+) as a percentage of all persons.



#### Cascadia

AGE RANGE	NUMBER	%
0-9	4,647	11%
10-14	2,709	6%
15-17	1,881	4%
18-24	3,566	8%
25-49	13,411	32%
50-64	9,373	22%
65+	6,765	16%
<b>TOTAL</b>	<b>42,353</b>	<b>100%</b>



SOURCE: Washington State Office of Financial Management, Forecasting Division (2019). 2018 Estimates of Age, Sex, Race and Hispanic Origin.

## Percent in Poverty in Sample Community by Census Tract



NOTES: Persons in poverty as a percentage of civilian noninstitutionalized persons for whom poverty status is determined. Schools-participants in 2021 HYS: Public schools which participated in the 2021 Healthy Youth Survey for grades 8 and 10. SOURCES: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Geographic Information System (COREGIS). U.S. Census Bureau, 2019 American Community Survey, 5-Year Estimates for years 2015 through 2019. School locations: OSPI, 2022. Census Tracts, School Districts, Counties: 2010 Tiger/Line Shapefiles. Roads: WSDOT.

## Definitions

---

**Archival data** are those measures collected by a variety of federal, state, and local agencies for their own record keeping, but which are used in CORE for prevention needs assessment. For instance, police records of arrests, or coroners' reports of deaths are reported in CORE. They are sometimes called "social indicators".

**Community Prevention and Wellness Initiative (CPWI)** – The Division of Behavioral Health and Recovery contracts with counties and the Office of the Superintendent of Public Instruction to provide community and school-based prevention services to reduce youth substance use, and the problem behaviors associated with substance use. The Community Prevention and Wellness Initiative, CPWI, is a new approach to those efforts—one that concentrates school and community-based services in high need communities. A key feature of the CPWI is a commitment to measuring the outcomes of the prevention services, which, if successful, will help to bring additional investments to the state's prevention system and thereby improve the health of Washington's youth.

**Confidence Intervals** (See Statistical Significance)

**Consumption Indicators** measure the number of people using/consuming various substances. These are reported as rates; for instance, 14% of 8th graders have tried alcohol in the past month.

**Consequence Indicators** measure behaviors or outcomes known to be associated with substance use. Some examples include car crashes, mental health disorders, and school problems. These are reported as rates: either percent (per 100 persons) or sometimes "per 1,000 people" or even "per 10,000 people."

**CORE** – The Community Outcome and Risk Evaluation Information System (CORE) is a comprehensive collection of "archival" data that are organized to match substance use risk factors and serve as risk proxies (see below). Data in CORE profiles are available at state, county, school district (as a geographic designation for community) and "locales". CORE was developed by the Department of Social and Health Services, Research and Data Analysis Division, to assist the Department in prevention planning and needs assessment. CORE reports are available at <https://www.dshs.wa.gov/ffa/research-and-data-analysis/community-risk-profiles>.

**Healthy Youth Survey (HYS)** – The Healthy Youth Survey is a voluntary and anonymous survey administered across the state every two years in grades 6, 8, 10, and 12. The survey provides a wide variety of health and health behavior information about adolescents in Washington, including information on substance use and the risk and protective factors associated with substance use. The information from the Healthy Youth Survey can be used to identify trends in the patterns of behavior over time.

The HYS is a collaborative effort of the Office of the Superintendent of Public Instruction, the Department of Health, the Department of Social and Health Services Division of Behavioral Health and Recovery, Department of Commerce, and the Liquor Control Board.

**Intervening Variable** – Certain characteristics of people, places or social settings create conditions in which substance use is more likely to occur. In our logic model these are called Intervening Variables. Law enforcement policies and risk/protective factors are examples of intervening variable. For instance, if the laws of a community are not enforced, then the conditions are ripe for substance use. By measuring these variables, and directing prevention services toward them, the likelihood of substance use is reduced.

In this data book, some of the intervening variables come from the archival data that are housed in CORE. However, most archival measures are based on public services or events that are susceptible to budget decisions (for instance, the size of the police force, or the availability of treatment), or to changing social priorities, regardless of the incidents toward which they are directed (for instance, reports of suspected child abuse, or truancy). Therefore, archival indicators and risk proxy measures (see below) must be interpreted in their local context by people knowledgeable about the local setting.

**Locale** – In small communities or counties some events—such as an alcohol related car crash death or a youth suicide—happen rarely. As a result, annual rates calculated from such rare events may be unreliable. Additionally, we cannot report very small numbers for confidentiality reasons. To solve this problem, CORE has developed a geographic designation—the "locale". Locales aggregate archival data from neighboring small communities (counties and school districts) together. Annual rates calculated for a locale can be used to describe all communities which are part of the locale.

(See reports at <https://www.dshs.wa.gov/ffa/research-and-data-analysis/community-risk-profiles> )

**Needs Assessment** – The community needs assessment is a process of gathering information needed to identify problems, existing programs and resources, and gaps between the two. The assessment requires participation by a group of community members with varying skills, interests and knowledge about the community. Ideally some members of this group have experience in using data to assess the level of a problem and the factors or conditions associated with that problem.

**Participation Rate** - The number of students who participated in the Healthy Youth Survey in relationship to the number of students who are enrolled. We report the school district participation rate inside the front cover of this report. The participation rate will help you interpret the results of the survey.

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results.

In accordance with the state’s focus on reducing underage drinking, the CPWI communities will have as a primary outcome measure the level of 10th grade drinking. To work toward that goal, each community will develop a strategic plan, guided by a coalition of community members, and supported in the schools by a prevention intervention specialist. The coalition will use the Strategic Prevention Framework for its planning and implementation efforts, which will focus on identifying needs, selecting evidence-based prevention practices, and evaluating the results of those activities.

**Proxy Measure** – A risk proxy is an indicator that can “stand in” for a risk factor. That is, the risk proxy has a similar relationship to youth substance use as does the risk factor that it is related to. For instance, if there is no data for the risk factor “low commitment to school”, the risk proxy measure, school dropout, can “stand in” for the risk factor. The number of liquor store licenses in a community is a proxy measure for the availability of alcohol. (See the notes above about the interpretation of intervening variables.)

**Risk and Protective Factors** (See also Intervening Variables)

The Risk Factors used in this report are psychosocial predictors of substance use. That is, we can predict that adolescents with these risk factors, and particularly if they have multiple risk factors, are more like to engage in substance use. Many of the risk factors identified by researchers at the University of Washington are measured in our statewide student survey. Protective factors buffer individuals from the effects of risk factors. These too are measured in the statewide survey. For more information about the research behind risk and protective factors, go to <http://www.sdr.org/projects.asp>.

**Risk and Protective Factor Scale Scores** – This report includes individual items from the Risk and Protective Factor scales, as well as the scale score. What is a **Scale Score**?


Risk and Protective Factors predict a wide variety of adolescent health behaviors—not just alcohol use. Each factor is measured by a set of questions that get at different aspects of a particular behavior. For instance, the Risk Factor “Perceived Risk of Drug Use” includes a question about cigarettes, two questions about marijuana, and a question about alcohol. All four questions together make up the risk factor scale. The answers to the whole set of questions is the scale score, indicating whether a person is “at risk”.

**"School districts like us" (SDLU)** – Other Washington communities that share similar demographic and geographic characteristics with your community. (We use school district boundaries as a proxy for communities for technical reasons; most average-size school districts have more or less the same population as the town or city they encompass.)

**Statistical Significance** – Statistical significance refers to the probability that the results for a particular question represent a true pattern and are not due to chance alone. In the case of our HYS data, the smaller the population of a school, the more likely it is that chance can affect survey results. For example, say a group of friends were all exposed to the flu and missed the survey that day. That probably wouldn’t matter in a big school, but in a small school it could change the results.

- The HYS data in the bar charts starting on page 5 of this report include confidence intervals— lines centered on the bars. These confidence intervals are related to statistical significance. The “true” result for each question, considering the level of chance, lies between those two bars.
- In our comparison between the 8th and 10th grade scores, if those confidence intervals overlap, then the difference between the two values is not statistically significant. In the tables right under the bar charts, when comparing between 2012 and 2014, or between the community, "school districts like us" and the state, statistically significant differences are indicated with small letters 'a', 'b' and/or 'c'.

# [Name] Coalition Logic Model



# **What's Happening?**

**A Community Needs Assessment Data Book**



**May 2022**