

County Community Risk Profile (2018): Snohomish

		Risk Ranking		Risk Category Rank		Contextual Indicators	
School District	Population: 10-17	ATOD Risk Percentile	Indicators with Data	Consumption (ATOD)	Consequence	Economic Deprivation	Troubled Family
Marysville	7,979	66	21	Average	Average	Average	High
Sultan	1,533	63	21	Average	High	Average	Average
Granite Falls	1,627	58	21	Average	Average	Average	Average
Monroe	4,274	54	21	Average	Average	Low	Average
Lakewood	1,604	52	21	Average	Average	Average	No Data
Stanwood-Camano	3,328	49	21	Average	Average	Low	Average
Darrington	339	39	21	Low	Average	Average	Very High
Mukilteo	9,709	34	21	Average	Average	Average	Average
Everett	13,212	33	21	Average	Average	Average	Average
Lake Stevens	5,536	28	21	Average	Average	Low	Average
Arlington	3,506	26	21	Low	Average	Average	Average
Snohomish	6,686	23	21	Average	Low	Very Low	Low

NOTES:

This risk profile reflects the risk levels of this county as of February 2018. School districts with no high schools are not included in this summary. Please note risk levels and risk rankings may change over time.

The ATOD consumption risk score is calculated from prevalence of alcohol, tobacco, and other drug use. The consequence risk score is calculated from school performance, youth delinquency, and mental health indicators. The overall risk ranking is not computed if either consumption or consequence score is missing.

A Risk Category Rank of "Very High" indicates the referenced School District Risk Score was in the top 10% of School Districts in the risk Category.

A Risk Category Rank of "High" indicates the referenced School District Risk Score was in the top 25% of School Districts in the risk Category.

A Risk Category Rank of "Average" indicates the referenced School District Risk Score was between 25% and 75% of School Districts in the risk Category.

A Risk Category Rank of "Low" indicates the referenced School District Risk Score was in the bottom 25% of School Districts in the risk Category.

A Risk Category Rank of "Very Low" indicates the referenced School District Risk Score was in the bottom 10% of School Districts in the risk Category.

Review Considerations



1) To get an overall sense of risk severity for both consumption and consequence, examine the "Risk Percentile". It reflects what % of School District had a Risk Score LOWER than the referenced School District.

2) To ensure that the risk score is meaningful, examine the "Indicators with data" column. Risk scores based on few indicators should be interpreted with caution. In total, 26 indicators were used.

3) To consider other contextual information, examine the "Population: Age 0-17", "economic deprivation" indicator, and the "troubled family" indicator. Note the "Population 0-17 year olds" value will be greater than district enrollment as it accounts for kids not in school as well as those in private schools.

Marijuana Composite Ranking

by School District, Snohomish County, 2018





DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in marijuana consumption and consequence. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).

Marijuana Consumption Ranking

by School District, Snohomish County, 2018




DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in marijuana consumption. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).

Alcohol, Tobacco and Other Drugs Composite Ranking

by School District, Snohomish County, 2018



Composite Risk Ranking

- Very High 90 - 99
- High 75 - 89

Average 25 - 74

Low 10 - 24

Very Low 1 - 9

No data

School Districts

Counties

Highways and Major Roads


Water Bodies

DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in the alcohol, tobacco and other drugs (ATOD) consumption and consequence. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).

Alcohol, Tobacco and Other Drugs Consumption Ranking

by School District, Snohomish County, 2018



Consumption Risk Ranking

- Very High 90 - 99
- High 76 - 89

Average 25 - 75

Low 10 - 24

Very Low 1 - 9

No data

School Districts

Counties

Highways and Major Roads

Water Bodies

DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in the alcohol, tobacco and other drugs (ATOD) consumption. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).




Transforming lives

March 20, 2018

Consequence Risk Ranking

by School District, Snohomish County, 2018



Consequence Risk Ranking

 Average 25 - 74	 Very Low 1 - 9	 School Districts	 Highways and Major Roads
 Very High 90 - 99	 Low 10 - 24	 No data	 Water Bodies
 High 75 - 89	 Counties		

DATA NOTES: The percentile of the consequence risk scores. The consequence risk scores were calculated using standardized indicators in three sub-domains: school performance, youth delinquency, and mental health. Cartography: Irina Sharkova.
SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).


Risk Profile by High School Attendance Area (2018):

Edmonds


		Risk Ranking		Risk Category Rank		Contextual Indicators	
High School	Population: 10-17	ATOD Risk Percentile	Indicators with Data	Consumption (ATOD)	Consequence	Economic Deprivation	Troubled Family
Lynnwood H.S.	4,382	41	21	Average	Average	Average	Average
Meadowdale H.S.	3,207	30	21	Average	Low	Low	No Data
Edmonds Woodway H.S.	3,877	28	21	Average	Low	Average	Low
Mountlake Terrace H.	4,077	13	21	Low	Low	Low	Average

Marijuana Composite Ranking

by High School Attendance Area, Edmonds School District, 2018



Composite Risk Ranking



DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in marijuana consumption and consequence. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).




Transforming lives


March 20, 2018

Marijuana Consumption Ranking

by High School Attendance Area, Edmonds School District, 2018



Consumption Risk Ranking



DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in marijuana consumption. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).




Transforming lives


March 20, 2018

Alcohol, Tobacco and Other Drugs Composite Ranking

by High School Attendance Area, Edmonds School District, 2018



Composite Risk Ranking



DATA NOTES: The percentile of the composite risk scores. The composite risk scores were calculated using standardized indicators in the alcohol, tobacco and other drugs (ATOD) consumption and consequence. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).




Transforming lives


March 20, 2018

Alcohol, Tobacco and Other Drugs Consumption Ranking

by High School Attendance Area, Edmonds School District, 2018



Consumption Risk Ranking



DATA NOTES: The percentile of the consumption risk scores. The consumption risk scores were calculated using standardized indicators in the alcohol, tobacco and other drugs (ATOD) consumption. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).




Transforming lives


March 20, 2018

Consequence Risk Ranking

by High School Attendance Area, Edmonds School District, 2018



Consequence Risk Ranking



DATA NOTES: The percentile of the consequence risk scores. The consequence risk scores were calculated using standardized indicators in three sub-domains: school performance, youth delinquency, and mental health. Cartography: Irina Sharkova.

SOURCE: DSHS Research and Data Analysis, Community Outcome and Risk Evaluation Information System (CORE).